


2017-2018

Understanding Climate Change

A comprehensive guide for learning about climate change through hands-on, critical thinking activities.



Grade Level:

Int Intermediate

Subject Areas:

- | | |
|---|--|
|  Science |  Social Studies |
|  Language Arts |  Technology |



Teacher Advisory Board

Constance Beatty
Kankakee, IL

Barbara Lazar
Albuquerque, NM

James M. Brown
Saratoga Springs, NY

Robert Lazar
Albuquerque, NM

Amy Constant - Schott
Raleigh, NC

Leslie Lively
Porters Falls, WV

Nina Corley
Galveston, TX

Jennifer Mitchell - Winterbottom
Pottstown, PA

Shannon Donovan
Greene, RI

Mollie Mukhamedov
Port St. Lucie, FL

Linda Fonner
New Martinsville, WV

Don Pruett Jr.
Puyallup, WA

Samantha Forbes
Vienna, VA

Judy Reeves
Lake Charles, LA

Michelle Garlick
Long Grove, IL

Tom Spencer
Chesapeake, VA

Erin Gockel
Farmington, NM

Jennifer Trochez MacLean
Los Angeles, CA

Robert Griegoliet
Naperville, IL

Wayne Yonkelowitz
Fayetteville, WV

Bob Hodash
Bakersfield, CA

DaNel Hogan
Tucson, AZ

Greg Holman
Paradise, CA

NEED Mission Statement

The mission of The NEED Project is to promote an energy conscious and educated society by creating effective networks of students, educators, business, government and community leaders to design and deliver objective, multi-sided energy education programs.

Permission to Copy

NEED curriculum is available for reproduction by classroom teachers only. NEED curriculum may only be reproduced for use outside the classroom setting when express written permission is obtained in advance from The NEED Project. Permission for use can be obtained by contacting info@need.org.

Teacher Advisory Board

In support of NEED, the national Teacher Advisory Board (TAB) is dedicated to developing and promoting standards-based energy curriculum and training.

Energy Data Used in NEED Materials

NEED believes in providing teachers and students with the most recently reported, available, and accurate energy data. Most statistics and data contained within this guide are derived from the U.S. Energy Information Administration. Data is compiled and updated annually where available. Where annual updates are not available, the most current, complete data year available at the time of updates is accessed and printed in NEED materials. To further research energy data, visit the EIA website at www.eia.gov.



1.800.875.5029

www.NEED.org

© 2017



Printed on Recycled Paper



Understanding Climate Change

NEED gratefully acknowledges the work of the following individuals in creating the *Understanding Climate Change* curriculum:

Shelly Baumann

North Rockford Middle School, MI

Constance Beatty

Kennedy Middle Grade School, IL

Regina Donour

Letcher County High School, KY

Greg Holman

Evergreen 6th Grade Academy, CA

Michelle Lamb

Twin Grove Middle School, IL

Wayne Yonkelowitz

Fayetteville High School, WV

Developed in partnership with Princeton University's Carbon Mitigation Initiative.



Table of Contents

▪ A Note from NEED	4
▪ Standards Correlation Information	5
▪ Materials	6
▪ Teacher Guide	7
▪ Dry Ice Safety	21
▪ Climate Change Resources	22
▪ Student Informational Text	23
▪ Climate Change KWL Chart	35
▪ Properties of CO ₂	36
▪ Greenhouse in a Beaker	37
▪ Carbon Reservoir Comparison	39
▪ Carbon Cycle Simulation	40
▪ Carbon Tracking Sheet	53
▪ Land Ice/Sea Ice	54
▪ Climate Web	56
▪ Climate Systems	61
▪ Carbon Footprint	62
▪ Carbon In My Life Informational Text	63
▪ Aluminum Can Life Cycle Comparison	66
▪ Carbon In My Life Survey	67
▪ Carbon In My life Study Items	68
▪ Carbon In My Life Analysis Organizer	69
▪ Carbon In My Life Questionnaire	70
▪ Carbon In My Life Action Planner	71
▪ Glossary	72
▪ Evaluation Form	77



Cover image courtesy of Flavio Takemoto, contributor to the Stock.XCHNG website.



A Note from NEED

As America's policy-makers debate the development of public policy about carbon dioxide and climate change, it is important for the public to understand the technologies and techniques available to mitigate the release and impact of carbon dioxide. It is important to understand the science of climate and the way energy use and our consumer choices impact our environment, economics, and standard of living. The U.S. Department of Energy, the U.S. Environmental Protection Agency, the U.S. Department of Commerce, and other agencies have joined the nation's energy industry and the engineering and scientific community to find the best possible solutions to address climate change while reducing possible negative impacts on America's economy.

With this curriculum module, and other NEED activities, we hope to help students, teachers, and the local community understand more about energy, carbon dioxide, climate, and climate change. We hope that teachers and students will discuss and think about our use of energy and our personal energy choices with a global perspective too—recognizing that the choices made here in the United States have an impact on the global environment and that energy decisions made in other countries have an impact on us too. This curriculum module is meant to help distill a fairly complex and heavily politicized topic down to a level that our students can understand and comprehend—providing them with simulations and hands-on lessons and informational texts meant to provide a foundation for their learnings.

We are grateful to the Carbon Mitigation Initiative for their assistance with this project and we welcome feedback from teachers, students, and their families about the content and lessons found inside.



1.800.875.5029

www.NEED.org

© 2017



Standards Correlation Information

www.NEED.org/curriculumcorrelations

Next Generation Science Standards

- This guide effectively supports many Next Generation Science Standards. This material can satisfy performance expectations, science and engineering practices, disciplinary core ideas, and cross cutting concepts within your required curriculum. For more details on these correlations, please visit NEED's curriculum correlations website.

Common Core State Standards

- This guide has been correlated to the Common Core State Standards in both language arts and mathematics. These correlations are broken down by grade level and guide title, and can be downloaded as a spreadsheet from the NEED curriculum correlations website.

Individual State Science Standards

- This guide has been correlated to each state's individual science standards. These correlations are broken down by grade level and guide title, and can be downloaded as a spreadsheet from the NEED website.

The screenshot shows the NEED website interface. At the top left is the NEED logo (National Energy Education Development Project). To the right are social media icons for Facebook, Twitter, Instagram, Pinterest, LinkedIn, and YouTube. Below these is a search bar with the text "Search this site:". A navigation menu contains links for "About NEED", "Educators", "Students", "Partners", "Youth Awards", "Contact", and "Shop".

The main content area features a left sidebar with a dropdown menu containing: Curriculum Resources, Professional Development, Evaluation, Supplemental Materials, Curriculum Correlations (highlighted), and Distinguished Service and Bob Thompson Awards. The main heading is "> Educators > Curriculum Correlations".

The page title is "Curriculum Correlations". The introductory text states: "NEED has correlated their materials to the Disciplinary Core Ideas of the Next Generation Science Standards. NEED has also correlated all of their materials to The Common Core State Standards for English/Language Arts and Mathematics. All materials are also correlated to each state's individual science standards. Most files are in Excel format. NEED recommends downloading the file to your computer for use. Save resources, don't print!"

A list of links follows:

- Navigating the NGSS? We have What You NEED!
- NEED alignment to the Next Generation Science Standards
- Common Core State Standards for English and Language Arts
- Common Core Standards for Mathematics
- Alabama
- Alaska
- Arizona
- Arkansas
- California

At the bottom left, there is a green calendar icon and a text box that reads: "NEED is adding new energy workshops all the time. Want to".



Understanding Climate Change Materials

The table below contains a list of materials needed for hands-on or laboratory activities. There are several activities that are not listed below that do not require materials other than pencils, paper, and copies. Many of the materials can be found in a common lab setting, or easily procured from a grocery or craft store. Refer to the activity instructions within the teacher guide for more specific instructions. Contact NEED if you have any questions or difficulty locating a certain item.

ACTIVITY	MATERIALS NEEDED
<i>Greenhouse Gas Demonstration</i>	<ul style="list-style-type: none"> ▪Molecular model kit
<i>Properties of CO₂</i>	<ul style="list-style-type: none"> ▪Plastic trash bags ▪Dry ice ▪Work gloves ▪Tongs ▪Clear plastic tubs or containers ▪Plastic trays ▪Bottles of bubbles ▪Bottles of water ▪Balloons ▪Pipe cleaners ▪Tea light candles ▪Matches ▪Plastic cups ▪Safety glasses
<i>Greenhouse in a Beaker</i>	<ul style="list-style-type: none"> ▪600 mL Beakers ▪250 mL Flasks ▪Rubber stoppers with holes ▪3/16" Vinyl tubing, 60 cm lengths ▪Clip light with 75 watt bulb ▪Ruler ▪Probe thermometers ▪Masking tape ▪Alka-Seltzer® tablets ▪Safety glasses ▪Water
<i>Carbon Cycle Simulation</i>	<ul style="list-style-type: none"> ▪2 Decks of playing cards
<i>Land Ice/Sea Ice</i>	<ul style="list-style-type: none"> ▪Land form materials that are not absorbent (rocks, clay, etc.) ▪Rectangular plastic tubs ▪Aluminum foil ▪Ice cubes ▪Ruler ▪Water ▪Beaker
<i>Climate Web</i>	<ul style="list-style-type: none"> ▪Ball of yarn or string ▪Scissors ▪Hole punch ▪Cardstock
<i>Carbon Footprint</i>	<ul style="list-style-type: none"> ▪5 lb Bag of charcoal briquettes ▪Tall, white kitchen trash bag ▪Plastic grocery bag ▪Paper towels ▪All-purpose cleaner ▪8 ½"x 11" White paper



Teacher Guide

Background

Through reading and hands-on activities, this guide examines the science behind climate change, the relationship between energy use and climate change, and personal choices that can be made to address climate change. It is recommended that teachers become familiar with activities and information included in this guide prior to use.

Activity 1: Introduction to Climate Change

Objective

- Students will outline their current understanding of climate change.

Time

- One class period

Materials

- *Student Informational Text*, pages 23-34
- *Climate Change KWL Chart*, page 35

Procedure

1. Make copies of the handout and informational text for students.
2. Ask students, “What do you think you know about climate change?” Students should record their thinking on the *Climate Change KWL Chart*. Create a class chart on the board, if desired.
3. Have a class discussion about what students think they already know about climate change. Discuss where students developed these ideas, and what questions they may have about climate change. List any student questions in the KWL chart.
4. Have students read the *Student Informational Text*. As they read they should take notes on new learning and continue to add to their KWL charts.

Activity 2: Greenhouse Gas Demonstration

Background

Greenhouse gases are able to behave in the ways they do because of their molecular structure. In this activity, students will visually compare the bonding structure of atmospheric gases in order to begin to explain the impact the greenhouse gases have on the atmosphere.

Objectives

- Students will be able to identify carbon dioxide, methane, and water vapor as three of the major greenhouse gases.
- Students will be able to describe how greenhouse gases can affect the atmosphere.

Time

- 10 minutes, or more, depending on depth of discussion

Materials

- Molecular model kit with spring attachments to act as bonds

Grade Level

- Intermediate, grades 6-8

Time

- 10-15 class periods, depending on the activities selected

Science Notebooks

This curriculum is designed to be used in conjunction with science notebooks. Experimental questions, procedures, sample data tables, and conclusion questions are provided. If you do not use notebooks in your classroom, students may require paper for recording data and conclusions. If you do use notebooks in your classroom, your students may choose to incorporate the activity sheets into their notebooks.

Additional Resources

Visit www.NEED.org for additional curriculum about climate, energy sources, and efficiency and conservation.

Recommended curriculum guides that will enhance your unit on climate change include:

- *Carbon Capture, Utilization, and Storage*
- *Energy Conservation Contract*
- *Great Energy Debate*
- *Monitoring and Mentoring*
- *Mission Possible*
- *School Energy Survey*
- *Intermediate Energy Infobook*

CONTINUED ON NEXT PAGE

Greenhouse Gas Molecular Models



Dry Ice Safety

Carefully review the *Dry Ice Safety* sheet on page 21.

Dry ice can be obtained from many grocery stores. If you do not have access to dry ice, you can produce CO₂ gas by mixing equal parts baking soda and vinegar.

Preparation

- Make models of the compounds listed below. Example photos can be found in the left margin.
 - carbon dioxide (CO₂)
 - methane (CH₄)
 - water vapor (H₂O)
 - oxygen (O₂)
 - nitrogen (N₂)

Procedure

- Show students the models you created or ask students to create their own if supplies allow. Explain the following:

Carbon dioxide (CO₂), methane (CH₄), and water vapor (H₂O) are three of the major greenhouse gases. When the radiant energy from the sun travels through the Earth's atmosphere and strikes the surface of the Earth, some of that energy is radiated back as thermal energy and infrared energy that will leave the atmosphere, but much of it is absorbed by the greenhouse gases.

The Earth's atmosphere is composed of 78.09 percent nitrogen gas (N₂), which has a triple bond between the nitrogen atoms, and 20.95 percent oxygen gas (O₂), which has a double bond between the oxygen atoms. The energy is stored within the movement of those molecules. Nitrogen gas and oxygen gas do not have a great deal of flexibility in the vibrations, rotation, expansion, and contraction of the bonds within the molecule.

- Demonstrate to students how there is a great deal of flexibility in the bonds of water, methane, and carbon dioxide, while there is very little in the flexibility of the other gases in the atmosphere. While holding the central atom in the structures of water, carbon dioxide, and methane, apply a slight force to the atoms attached to the central atom and show how the bonds are able to move freely indicating the ability to store more energy than the bonds within nitrogen gas or oxygen gas.

Activity 3: Properties of CO₂

Background

In this activity, students will explore how CO₂ behaves in order to develop a better understanding of its role in our climate system.

Objective

- Students will be able to list or describe properties of carbon dioxide.

Time

- One class period

Materials

- Plastic trash bags
- 5-10 lbs. of Dry ice (keep in foam cooler until ready to use)
- Work gloves
- Tongs
- Large, clear containers or tubs
- Plastic trays
- Bottles of bubbles
- Bottles of water
- Balloons
- Pipe cleaners
- Tea light candles
- Matches
- Plastic cups
- Safety glasses
- Properties of CO₂*, page 36
- Dry Ice Safety*, page 21

Preparation

- Make copies of the worksheet for students.
- You may conduct this activity as a demonstration, or gather enough containers, gloves, and tongs to allow small groups to work with the dry ice directly.
- Cover work surfaces with the plastic trash bags.
- Review the safety instructions for working with dry ice.

Procedure

1. Project and discuss the safety instructions for working with dry ice.
2. Place some dry ice on a plastic tray, place the tray of dry ice in the large container.
3. Explain that carbon dioxide (CO_2) is usually found in its gaseous form. However, it also can be found in a solid form and liquid form. Dry ice is frozen CO_2 , or CO_2 in solid form.
4. Ask students, "What happens when frozen water warms up?" (It melts and turns into a liquid.) Next ask, "What do you think happens when frozen CO_2 warms up?" Have students record their predictions in their science notebooks. Have students observe the dry ice for a few minutes. Students should record observations using pictures and words in their science notebooks. Ask students to explain what they are seeing. Discuss that CO_2 does not exist as a liquid at atmospheric pressure. As frozen CO_2 thaws, or sublimates, it transforms directly into a gas. CO_2 exists as a liquid only under great pressure.
5. Pour water onto the dry ice until CO_2 gas fills the container. Blow bubbles into the large container. Have students record their observations on the *Properties of CO_2* worksheets, or in their notebooks, and explain what is happening. After students have had time to write down their own thoughts, explain that CO_2 is more dense than air. Since the bubbles are filled with air, they float on top of the CO_2 gas collected in the container.
6. Light a tea light candle. Using the plastic cup, collect some CO_2 gas from the dry ice container and pour it over the tea light. Using the *Properties of CO_2* worksheets or their science notebooks, students should record what happens and explain what they saw. Explain that CO_2 displaces lighter oxygen. The CO_2 is heavier than air and pushes the oxygen away. The fire needs oxygen to continue burning so the fire is extinguished. This is why CO_2 is used in fire extinguishers.
7. Drop an ice cube sized piece of dry ice into a bottle of water. Place a balloon over the mouth of the water bottle. Use a pipe cleaner as a twist tie around the balloon, if necessary. Students should record observations in their science notebooks or on their worksheets and explain what happened.

Note

When the effervescent tablets start to fizz and release carbon dioxide, the temperature of the gas coming from that reaction will be a little cooler than room temperature because the chemical reaction is endothermic. Therefore, students may see a slight dip in temperature before it starts to rise when they measure the CO₂ rich beaker. This is normal – the focus is more on how much the temperature changes rather than the actual maximum or minimum temperature attained.

During the experiment, the temperature in the CO₂ rich beaker will rise for several minutes. Once a temperature peak is reached, the temperature will start to drop again rapidly. This is because the supply of CO₂ in the small bottle has exhausted itself and because the natural convection currents in the beaker, driven by the heat from the light bulb, will disperse the CO₂.

Activity 4: Greenhouse in a Beaker

Background

In this activity, students will model the conditions that occur in a greenhouse, or in our atmosphere during the greenhouse effect.

Objective

- Students will understand that carbon dioxide speeds up the transfer of thermal energy.

Time

- One class period

Materials FOR EACH GROUP

- 2 600 mL Beakers
- 1 250 mL Flask
- 1 Rubber stopper with hole
- 1 Vinyl tubing, 3/16" diameter, 60 cm long
- 1 Clip light
- 1 Ruler
- 2 Probe thermometers
- 1 Small piece of masking tape
- 4 Alka-Seltzer® tablets
- Safety glasses
- Water (room temperature)
- 1000-1100 Lumen bulb, equivalent to 75 watt incandescent
- Greenhouse in a Beaker* worksheets, pages 37-38

Preparation

- Make copies of the worksheets for students.
- Gather materials for the activity and be sure enough outlet space for lamps is available.
- Divide students into groups.

Procedure

- Introduce the investigation to students by asking, "If we add carbon dioxide to the air, what effect will this added CO₂ have on the air temperature?"
- Explain that students will be creating two models of our atmosphere. The beakers will represent our atmosphere and the lamp will represent the sun. One beaker will contain a "normal" atmosphere. Carbon dioxide (CO₂) will be added to the second beaker, creating a CO₂ rich atmosphere. The CO₂ will be produced through a chemical reaction that occurs when Alka-Seltzer® is added to water. The active ingredients in Alka-Seltzer® are aspirin, citric acid, and sodium bicarbonate (NaHCO₃). When the tablet is placed in water, an acid-base reaction involving sodium bicarbonate and the citric acid takes place yielding sodium citrate, water, and carbon dioxide.
$$3\text{NaHCO}_3 + \text{C}_6\text{H}_8\text{O}_7 \longrightarrow \text{Na}_3\text{C}_6\text{H}_5\text{O}_7 + 3\text{H}_2\text{O} + 3\text{CO}_2(\text{g})$$
- Divide students into small groups. Pass out the *Greenhouse in a Beaker* worksheets.
- Circulate around the room assisting groups as needed.

Extension

- Ask students what variables they can change in the investigation. Let students design new investigations, and in their conclusions, have them correlate their changes to actual conditions that may change in Earth's climate system.

Activity 5: Carbon Cycle Simulation

Background

The carbon cycle is a process that occurs naturally to move carbon between living things in the biosphere, and the atmosphere, lithosphere, and hydrosphere. This simulation will help students to visualize how the carbon cycle works and how carbon atoms are exchanged between reservoirs. Students can play the Pre-Industrial Revolution round to see how the process works first, and then play a present-day round to see what reservoirs store excess carbon.

Objectives

- Students will be able to describe how carbon cycles throughout the Earth's systems.
- Students will be able to compare how carbon cycled through the Earth's systems prior to the Industrial Revolution and after the Industrial Revolution.

Time

- One to two class periods

Materials

- Two decks of playing cards, divided by suit
- *Carbon Reservoir Comparison* worksheet, page 39
- *Carbon Cycle Simulation Posters*, pages 40-43
- *Reservoir Instruction Sheets*, pages 44-52
- 2 Copies of the *Carbon Tracking Sheet* for each student, page 53
- Carbon Cycle PowerPoint (optional)

Pre-Industrial Round Preparation

- Make copies of student worksheets and posters.
- Hang up the carbon cycle posters and Pre-Industrial Round instruction sheets around the classroom as shown in the diagram on page 12.
- Place a full suit of cards at each of the eight reservoirs.
- Download the optional PowerPoint from www.NEED.org.

Pre-Industrial Round Procedure

1. Pass out the *Carbon Reservoir Comparison* chart and have students use the *Understanding Climate Change Student Informational Text* to compare the four major carbon reservoirs. Review the information as a class, using the PowerPoint as an aid to discussion..
2. Explain to students that in this activity they will become carbon atoms. They will model the different forms carbon can take as it travels between reservoirs.
3. Use the chart on page 13 to divide your students among the reservoirs. The natural exchange of carbon between the lithosphere and atmosphere pre-Industrial Revolution was negligible, so the lithosphere is not used in this round.
4. Pass out one *Carbon Tracking Sheet* to each student. Students will record which reservoirs they travel to in this round.
5. Assign students to their first reservoir using the chart on page 13. Students record the necessary information about their reservoir and carbon form on their *Carbon Tracking Sheet*. They should be sure to count how many people are at the reservoir and record the number on his/her sheet.
6. Explain to students that they should not pull cards until instructed, you will go through the first round together. Students should not change reservoirs until given a signal to move. At that time, everyone who is changing reservoirs based on the card they pulled will move.

Online Resources

Samples of the reservoir posters and instruction sheets are on pages 40-52. To download full size color copies of the posters visit www.NEED.org.

Note

If you do not have enough students to make up the minimum number in either the Pre-Industrial or Present Day Rounds, you can create "proxy carbons" to fill the needed spots. A simple sheet of paper marked "proxy carbon" will do. Assign one or two students to be "proxy managers" who will be responsible for drawing the cards for the proxy carbons, and moving them where they need to go.

CONTINUED ON NEXT PAGE

7. Instruct students to each choose a card and use the directions on the sheet to determine who leaves the reservoir and who stays. Students return the cards to the original pile.
8. Signal students to change reservoirs. Once everyone has arrived where they need to be, the group again counts how many people are at the reservoir and students write down the necessary information about the reservoir and carbon form on their worksheet.
9. Repeat steps seven and eight until you have completed 10 cycles in the Pre-Industrial Round.
10. Bring the students together and discuss what they noticed about carbon movement, the forms carbon comes in, and about the amount of carbon in each reservoir.


Present Day Round Preparation

- Place the Present-Day Round Atmosphere and Lithosphere instruction sheets, pages 45 and 52, and the Lithosphere poster, page 43, around the room with the other materials from the Pre-Industrial Round, as shown in the diagram below.
- Make sure each reservoir has a full suit of cards.

Present Day Round Procedure

1. Pass out a new *Carbon Tracking Sheet* to each student.
2. Assign students reservoirs using the Present-Day Round table on page 13.
3. Follow the same directions as the Pre-Industrial Round and complete 10 cycles in the Present-Day Round.
4. When complete, discuss with the students the differences between the Pre-Industrial Round and the Present-Day Round. Use the data collected on the posters to graph the movement between the reservoirs. What conclusions can students make about carbon cycling based on the data?

Suggested Placement of Reservoir Posters



Extension

- To make things easier for younger learners, assign each reservoir or each sphere a different colored marker. Have students make a timeline on the side of their page at each stop by placing a dot on the page with each marker they see. Students can also use beads and pipe cleaners.

Number of Students in Each Reservoir

TOTAL NUMBER OF STUDENTS	PRE-INDUSTRIAL ROUND							
	ATMOSPHERE	BIOSPHERE LAND PLANT	BIOSPHERE LAND ANIMAL	BIOSPHERE SOIL	LITHOSPHERE	HYDROSPHERE OCEAN	HYDROSPHERE MARINE PLANT	HYDROSPHERE MARINE ANIMAL
18	5	3	2	1	0	4	2	1
19	5	3	2	1	0	5	2	1
20	5	4	2	1	0	5	2	1
21	6	4	2	1	0	5	2	1
22	6	4	2	1	0	5	3	1
23	6	4	3	1	0	5	3	1
24	7	4	3	1	0	5	3	1
25	7	4	3	1	0	5	3	2
26	7	4	3	2	0	5	3	2
27	8	4	3	2	0	5	3	2
28	8	4	3	2	0	6	3	2
29	8	5	3	2	0	6	3	2
30	9	5	3	2	0	6	3	2
31	9	5	3	2	0	6	4	2
32	9	5	4	2	0	6	4	2

TOTAL NUMBER OF STUDENTS	PRESENT-DAY ROUND							
	ATMOSPHERE	BIOSPHERE LAND PLANT	BIOSPHERE LAND ANIMAL	BIOSPHERE SOIL	LITHOSPHERE	HYDROSPHERE OCEAN	HYDROSPHERE MARINE PLANT	HYDROSPHERE MARINE ANIMAL
28	5	3	2	1	10	4	2	1
29	5	3	2	1	10	5	2	1
30	5	4	2	1	10	5	2	1
31	6	4	2	1	10	5	2	1
32	6	4	2	1	10	5	3	1

Special Time Requirement

- The land-based ice cubes in this activity will take at least two hours to melt. Because of this, the activity can't be run during a standard class period. The activity works best in a self-contained classroom where students can check progress throughout the day. It could also work in an extended class period. As another option, students in early classes can start the experiment and students coming in later can observe the results. Photographs can also be taken by the teacher or other students throughout the day (with the time recorded for each photo). The photos can then be provided to the students the following day so they can complete the activity.
- To facilitate Part One of the activity, 'perfect cube' ice trays are recommended. These silicone trays produce 1" cubes that make it easy for students to measure the volume.

Online Resources

Explore the role of glaciers and melting ice in climate change research by visiting Getting The Picture. This climate education site uses award-winning photographs and research to demonstrate climate science in an artistic and adventuresome way. The site contains student and educator links for support. Visit www.gettingthepicture.info.

Activity 6: Land Ice/Sea Ice

Background

Earth is divided into spheres or physical systems that interact. These spheres include the biosphere, atmosphere, hydrosphere, and lithosphere. An important part of the hydrosphere is explored in this activity—the cryosphere. The cryosphere is any place where water can be frozen—ice sheets, mountain glaciers, permafrost, and sea ice. All of these forms of ice play an important role in climate.

Sea ice, or frozen ocean water, plays an important role as it circulates in the ocean, keeping the poles cool. The other forms of ice like permafrost and mountain glaciers are considered land ice because they formed on land. The only ice sheets found today (Antarctica and Greenland) are considered continental glaciers, as they cover a great amount of land. Sometimes land ice can be found near the ocean or will break off and run into the ocean. It is this melting land ice that is a major contributor to and indicator of sea level rise. This activity allows students to explore the differences between land and sea ice melting, and discuss what would cause this melting to occur.

Objective

- Students will be able to describe the effects sea and land ice have on sea level, when melted.

Time

- Two class periods (See "Special Time Requirement" note.)

Materials *FOR EACH GROUP*

- Non-absorbent materials to make a land form (e.g., rocks, clay, crumpled aluminum foil)
- 2 25 sq ft Rolls of aluminum foil (more if using foil for land forms)
- Rectangular tubs approximately 3-5" deep, and roughly 8" x 12"
- 11 Ice cubes
- Ruler
- 2 Liters of water
- Beaker
- *Land Ice/Sea Ice* worksheets, pages 54-55

Preparation

- Gather the materials necessary for the activity.
- Make copies of the worksheets for each student.
- Prepare enough ice for all groups.
- Set up the activity ahead of time to use for demonstration purposes.

Procedure

1. Discuss the two contributors to sea level change by reviewing page 32 in the informational text.
2. Ask students if they think that floating ice in the ocean would raise sea level if it melts. Also ask if they think that melting ice on land would raise sea level when it melts. Discuss student responses.
3. Tell students that they will be conducting two experiments to find out. Describe the experiments, showing them examples of each experimental set up. See page 54 for directions.
4. Direct students to run the experiments.
5. After students have run the experiments, ask students to discuss the results of Part One. Ensure that students understand that water in its solid state, unlike other liquids, has a greater volume than in its liquid state.

CONTINUED ON NEXT PAGE

6. Next, discuss the results of Part Two. Ask students to discuss why the water level did not rise in the sea ice tray. If necessary, explain that because this ice is floating it has displaced some of the water in which it floats. Because of this, even though some of the ice rises above the surface of the water, when it melts it does not affect the level of the water.
7. Relate this to rising sea levels, making sure to explain that it's the dynamic of melting land-based glaciers that is contributing to sea level rise. Thus, the polar ice cap, as it melts, does not contribute to sea level rise.
8. Finally, relate the results of Part Two to the results of Part One. Explain that because ice floats on water and is not completely submerged, ice does not displace an amount of water equal to its volume. Instead, it displaces less than its total volume of water. The water that floating ice displaces is equal to the volume that the ice would take up if it melted and became water again. So the difference between frozen and liquid water they calculated in Part One is the volume of the ice cube that floats above the water line. As it melts, its volume becomes less, thus leaving the water level in the tray in Part Two the same. When ice melts, the mass of the ice is conserved, but the crystal lattice structure of ice disappears and the volume decreases and becomes equal to the volume of water it displaced in its solid form.
9. Make sure to reinforce that the rise in sea level is related to melting land-based ice. These factors are related to climate change and our use of fossil fuels. Ask them to go one step further and describe what causes the melting to occur in climate change (increased use of CO₂ emitting fossil fuels).

Extension: Ocean Currents and Sea Water Density

Materials

- Land forms and trays from *Activity 6: Land Ice/Sea Ice*
- Food coloring
- 10 Ice cubes
- Water
- Salt
- Balance
- Beaker

Procedure

1. Conduct the activity as before, but this time add food coloring to the water you use to make the ice cubes. You want the cubes to be strongly colored, so use a good amount of food coloring.
2. Since temperature is a factor in density, the trays should be filled with cold (refrigerated) water this time.
3. Add salt to the water that students will use in the tubs. Mix 35 grams of salt per liter of water to achieve a similar concentration to that of sea water.
4. As the ice melts, ask students to observe the stratification that takes place. They should observe the colored, fresh water forming a layer on top of the clear, salt water.
5. After running the activity, lead a discussion on density and what caused the results. Have students write a paragraph describing what happened and why they think it happened.
6. Next discuss the role that density plays in the ocean currents and how these currents play a role in determining climate. Explain how fresh water from melting glaciers is causing changes in these currents.
7. Ask students to explain how this might affect climate.

Classroom Management Note

When handing out hang tags to students, some have descriptions that allow for easy identification of related components in the climate system. It may be wise to strategically assign cards to your students based on their prior knowledge.

Activity 7: Climate Web

Background

This activity helps students to visualize climate as a system with many items feeding into it and relying on its function.

Objectives

- Students will be able to identify components in the climate system and describe their functions.
- Students will be able to describe the connections between each component in the climate system.

Time

- One class period

Materials

- Ball of yarn or string
- Scissors
- Hole punch
- Cardstock
- Climate web hang tags, pages 56-60
- *Climate Systems* worksheet, page 61

Preparation

- Copy the climate hang tags onto cardstock and laminate for reuse.
- Cut apart the hang tags and use a single hole punch to make two holes in the top corner of each.
- Lace one length of yarn or string through each hang tag and tie off creating a necklace.
- Make copies of the *Climate Systems* worksheet for students.

Procedure

1. Hand out the hang tag necklaces and ask students to read the backs of their cards aloud so other students in the group know the roles in the game. Give students a chance to ask any questions they have about what is written on their cards.
2. Direct students to put on their hang tags and stand in a circle.
3. Hand the ball of yarn to one of the students. Explain that he or she should look around the circle and identify another student representing a component of the system that is related to his or her role. Some of these relationships are spelled out on the descriptions on the backs of the hang tags.
4. Holding on to the end of the yarn, the first student passes the ball of yarn to that student, explaining how that part of the system relates to him or her. That student then repeats the process, holding onto the yarn and passing the ball on.
5. Continue passing the yarn around until everyone has their hands on the yarn. While connections can be made between each component, students may have trouble seeing all of them. Because of this, it is acceptable to pass to a student a second time before the yarn has made it all the way around the circle. In the end, the students will have created a web made of yarn connecting all of them.
6. Now choose a student to give a tug on the string. Explain that this tug represents an influence (positive or negative) being exerted by that part of the system. For instance, the person wearing the 'Coal' tag might give a tug, and you would say, "Coal is mined and processed for electrical energy. This process emits pollutants into the air and coal is a nonrenewable resource." Or "Solar Energy" might give a tug and you would say, "Increasing the use of solar PV reduces our CO₂ emissions from generating electricity."

CONTINUED ON NEXT PAGE

Understanding Climate Change

7. Ask students to raise their hands if they feel a pull when the string is tugged. Ask students why their component might be influenced by the original component that tugged on the string. Discuss the connections and why some students might feel stronger pulls than others.
8. Repeat this several times with different students tugging. For each tug, describe how that component is influencing the system.
9. Pass out the *Climate Systems* worksheet. Ask students to describe how the system is dependent on all of the components. Students should be able to explain that a change in one part of the system can affect all other parts of the system.

Activity 8: Carbon Footprint

Background

Transportation and electricity play a big part in our day-to-day greenhouse gas emissions. We travel sometimes hundreds of miles in a day, and it's rare we go a single day without electricity. Transportation and electricity account for a majority of the U.S. annual CO₂ emissions. This activity allows students to visualize the carbon involved in their day-to-day travels and activities and define this as their carbon footprint.

Objective

- Students will quantify and describe their own individual carbon footprints.

Time

- One class period

Materials

- 5 lb. Bag of charcoal briquettes
- 1 Tall, white kitchen trash bag
- 1 Plastic grocery bag
- Paper towels
- All-purpose cleaner
- White 8 ½" x 11" paper
- *Carbon Footprint* worksheet, page 62
- *Carbon in My Life Informational Text*, pages 63-65

Preparation

- Prior to this activity, have students research uses for CO₂ as homework. Encourage students to find ways CO₂ is used in residential, industrial, and medical settings. Students should make a list and bring the list with them to class.
- Make copies of the worksheets for students.

Procedure

1. Break students into small groups to brainstorm a list of uses for CO₂ based on their findings from the homework assignment.
2. Based on the previous activities, students should understand that CO₂ is released into the atmosphere during fossil fuel combustion. This includes combustion from fossil fueled power plants generating electricity, from manufacturing processes, and from the burning of fossil fuels as a fuel in vehicles.
3. Review that CO₂ is usually found in a gas form. It is colorless and transparent to light. Even though we know CO₂ impacts the environment, we do not always think about it because we cannot see it. Show students the bag of charcoal briquettes. The briquettes are made almost completely of carbon, so the briquettes will represent the amount of carbon in one gallon of gas. The average gallon of gasoline contains about five pounds of carbon. There are about 100 briquettes in the bag. By dividing five pounds of carbon by 100 briquettes, that means there are about 0.05 pounds of carbon per briquette.

CONTINUED ON NEXT PAGE

Online Resources

- Environmental Protection Agency's Emissions Calculator: www3.epa.gov/carbon-footprint-calculator/
- Nature Conservancy: www.nature.org/greenliving/carboncalculator/index.htm
- CarbonFootprint.com: <http://calculator.carbonfootprint.com/calculator.aspx>
- Cool Climate Network: <http://coolclimate.berkeley.edu/calculator>

4. Discuss how many miles each student drives (or is driven) to and from school each day. Calculate how many briquettes represent the carbon dioxide emitted when transporting students to and from school. Use the bags to cover the workspace and hold individual briquettes. Students will record their answers on the *Carbon Footprint* worksheet.
5. When students are done calculating their carbon footprint for transportation, ask students what else they might do to emit carbon. Make a list of other factors that might be included in one's carbon footprint. Explain to students that this is often called an ecological footprint.
6. If time permits, have students read the *Carbon In My Life Informational Text*.
7. Give each student a piece of paper. Have students trace an outline of their shoe. Inside the footprint have students write at least three suggestions for reducing their carbon footprint. Students should also reflect on why it is important to understand their carbon footprint and why it matters.

Activity 9: Carbon In My Life

Background

In Carbon In My Life, students begin to identify all of the items and tasks in their day that can contribute to carbon emissions. Students survey their surroundings and develop an action plan for reducing carbon in their lives.

Objectives

- Students will identify and analyze the energy use of commonplace items.
- Students will be able to explain that CO₂ emissions occur throughout a product's life cycle.

Time

- Two to three class periods

Materials

- *Carbon In My Life Informational Text*, pages 63-65
- *Aluminum Can Life Cycle Comparison* worksheet, page 66
- *Carbon In My Life Survey*, page 67
- *Carbon In My Life Study Items* organizer, page 68
- *Carbon In My Life Item Analysis Organizer*, page 69
- *Carbon In My Life Questionnaire*, page 70
- *Carbon In My Life Action Planner*, page 71

Preparation

- Make copies of the worksheets for students.

Procedure

1. Present an overview of the activity and project expectations. Break into groups of three or four students.
2. Have students actively read the *Carbon in My Life Informational Text*. Select the best strategy for your students:
 - Read individually
 - Read aloud
 - Jigsaw read (teacher may work with emerging readers or pair students together)
3. Check for understanding of the informational text and explain that carbon contributors can include products, food items, behaviors, water and energy uses, transportation needs, or anything that can be associated with the need to use some form of energy.
4. Explain to students that the energy we use each day results directly in an increase in carbon in the atmosphere. Electric power is produced using fossil fuels, and we operate motor vehicles or heat our homes and water with fossil fuels, and create products with fossil fuels.
5. Review the *Aluminum Can Life Cycle Comparison* worksheet.
6. Have teams complete the *Carbon In My Life Survey*.
7. Brainstorm additional items on the *Carbon In My Life Study Items* organizer.
8. All teams will select an item from each category (food, energy, water, etc.) to study and use the *Carbon In My Life Item Analysis Organizer* and *Carbon In My Life Questionnaire* to identify Action Plan items.
9. Teams will select one item for each team member and develop an action plan for lowering their carbon footprint using the steps on the *Carbon In My Life Action Planner*.
10. If time allows, select one of the recommended extensions (on the next page) to reinforce the lesson and to give students opportunities to expand on their Action Plans.

Additional Resources

Students can find out exactly how much carbon is associated with the use of appliances and their favorite electronics. Check out *The Environment and You* activities in NEEDs's *Monitoring and Mentoring* guide for more information.

CONTINUED ON NEXT PAGE

Extensions

- Use this activity at your home to study items and to initiate action plans to reduce energy use and CO₂ impacts. Document your project from beginning to end and prepare a presentation to the class, to the community, or to other homeowners.
- Publish your action plan in a local newspaper article, an Internet article, or contact local radio or television media to conduct an interview.
- Develop a service-learning project that helps senior citizens or low-income citizens find ways to save money by using energy saving strategies that you've developed in this activity.
- Work with your local school board or city council to find ways that your strategies can be used at other schools, city parks, city owned businesses, etc.
- Research schools and buildings in other countries to see how needs are met differently and document the differences in energy use and CO₂ impacts.
- Research how schools and buildings in the year 1900 met the same needs you meet today and document the differences in energy use and CO₂ impacts.

Evaluation

Following the completion of your unit, evaluate the unit with your students using the *Evaluation Form* on page 77 and return it to The NEED Project.



Dry Ice Safety

What is Dry Ice?

Dry ice is frozen carbon dioxide. Unlike most solids, it does not melt into a liquid, but instead changes directly into a gas. This process is called sublimation. The temperature of dry ice is around -109°F ! It sublimates very quickly so if you need dry ice for an experiment or project, buy it as close as possible to the time you need it.

Dry Ice Safety Rules

1. Students: Never use dry ice without adult supervision. Dry ice can cause serious injury if not used carefully!
2. Never store dry ice in an airtight container. As the dry ice undergoes sublimation from a solid directly into a gas, the gas will build up in the container until it bursts. Sharp pieces of container will go flying all over the place. Make sure your container is ventilated. The best place to store dry ice is in a foam chest with a loose fitting lid.
3. Do not touch dry ice with your skin! Use tongs, insulated (thick) gloves, or an oven mitt. Since the temperature of dry ice is so cold, it can cause severe frostbite. If you suspect you have frostbite, seek medical help immediately.
4. Never eat or swallow dry ice! Again, the temperature of dry ice is very, very cold. If you swallow dry ice, seek medical help immediately.
5. Never lay down in, or place small children or pets in homemade clouds. The clouds are made of carbon dioxide gas. People and pets could suffocate if they breathe in too much gas.
6. Never place dry ice in an unventilated room or car. If you are traveling with dry ice in the car, crack a window open. The same rule applies if you are in a small room, crack a window open. You do not want too much carbon dioxide gas to build up around you.
7. Always wear safety glasses when doing experiments with dry ice.
8. Do not place dry ice directly on counter tops. The cold temperature could cause the surface to crack.
9. Leave the area immediately if you start to have difficulty catching your breath. This is a sign that you have inhaled in too much carbon dioxide gas.
10. Do not store dry ice in your freezer. It will cause your freezer to become too cold and your freezer may shut off. However, if you lose power for an extended period of time, dry ice is the best way to keep things cold in an ice chest or cooler.



Disposing of Dry Ice

To dispose of dry ice, place in a well ventilated container and take it outside where small children and pets cannot reach it. Simply let it sublimate away.

Data: NOAA and NWS



Climate Change Resources

American Association for the Advancement of Science

http://www.aaas.org/news/press_room/climate_change/

Carbon Dioxide Information Analysis Center

<http://cdiac.ess-dive.lbl.gov>

Earth Vision Institute, Getting The Picture

www.gettingthepicture.info

Intergovernmental Panel on Climate Change

www.ipcc.ch

International Energy Agency

www.iea.org

NASA's Eyes on the Earth

<http://climate.nasa.gov>

National Center for Atmospheric Research - Kids' Crossing

<http://eo.ucar.edu/kids/green/index.htm>

National Oceanic and Atmospheric Administration

www.noaa.gov/climate.html

U.S. Department of Energy

www.energy.gov/science-innovation/climate-change

<https://energy.gov/eere/office-energy-efficiency-renewable-energy>

www.afdc.energy.gov/

U.S. Energy Information Administration

www.eia.gov

www.eia.gov/environment.html

www.eia.gov/kids

www.eia.gov/energyexplained/

U.S. Environmental Protection Agency

www.epa.gov/energy

www.epa.gov/statelocalenergy

United Nations Environment Programme

www.unep.org/climatechange

United Nations Environment Programme, GRID-Arendal

www.grida.no

United States Global Change Research Program

<http://globalchange.gov>



Understanding Climate Change

Student Informational Text

What is Energy?

Energy makes change; it does things for us. It moves cars along the road and boats over the water. It bakes a cake in the oven and keeps ice frozen in the freezer. It plays our favorite songs on the radio and lights our homes. Energy makes our bodies grow and allows our minds to think. Scientists define energy as the ability to do work.

Forms of Energy

Energy is found in different forms, such as light, heat, sound, and motion. There are many forms of energy, but they can all be put into two categories: potential and kinetic.

POTENTIAL ENERGY

Potential energy is stored energy or the energy of position. There are several forms of potential energy, including:

- **Chemical energy** is energy stored in the bonds of atoms and molecules. It is the energy that holds these particles together. **Biomass**, petroleum, natural gas, and propane are examples of stored chemical energy.
- **Elastic energy** is energy stored in objects by the application of a force. Compressed springs and stretched rubber bands are examples of items with elastic energy.
- **Nuclear energy** is energy stored in the nucleus of an atom; it is the energy that holds the nucleus together. The energy can be released when the nuclei are combined or split apart. Nuclear power plants split the nuclei of uranium atoms in a process called **fission**. The sun combines the nuclei of hydrogen atoms in a process called **fusion**.
- **Gravitational potential energy** is the energy of position or place. A rock resting at the top of a hill contains gravitational potential energy. Hydropower, such as water in a reservoir behind a dam, is an example of gravitational potential energy.

KINETIC ENERGY


Kinetic energy is motion; it is the motion of waves, electrons, atoms, molecules, substances, and objects.

- **Electrical energy** is the movement of electrons. Everything is made of tiny particles called atoms. Atoms are made of even smaller particles called electrons, protons, and neutrons. Applying a force can make some of the electrons move. Electrons moving through a wire is called **electricity**. Lightning is another example of electrical energy.
- **Radiant energy** is electromagnetic energy that travels in transverse waves. Radiant energy includes visible light, x-rays, gamma rays, and radio waves. Solar energy is an example of radiant energy.

▪ **Thermal energy**, or heat, is the internal energy in substances; it is the vibration and movement of the atoms and molecules within substances. The more thermal energy in a substance, the faster the atoms and molecules vibrate and move. Geothermal energy is an example of thermal energy.

▪ **Motion energy** is the movement of objects and substances from one place to another. Objects and substances move when an unbalanced force is applied according to Newton's Laws of Motion. Wind is an example of motion energy.

▪ **Sound energy** is the movement of energy through substances in longitudinal (compression/rarefaction) waves. Sound is produced when a force causes an object or substance to vibrate. The energy is transferred through the substance in a longitudinal wave.



Conservation of Energy

To scientists, **conservation** of energy is not saving energy. The law of conservation of energy says that energy is neither created nor destroyed. When we use energy, it doesn't disappear. We change it from one form of energy into another. This is called an **energy transformation**.

A car engine burns gasoline, converting the chemical energy in gasoline into motion energy. Solar cells change radiant energy into electrical energy. Energy changes form, but the total amount of energy in the universe stays the same.

Efficiency

Energy efficiency is the amount of useful energy you get from a system. A perfect, energy efficient machine would change all the energy put in it into useful work—a technological impossibility today. Converting one form of energy into another form always involves a loss of usable energy.

Most energy transformations are not very efficient. The human body is a good example. Your body is like a machine, and the fuel for your machine is food. Food gives you the energy to move, breathe, and think.

Your body isn't very efficient at converting food into useful work. Most chemical energy from the food you eat is released as chemical energy and is not used to do work. You can really feel that heat when you exercise! Most electric power plants have the same efficiency problem as your body. Most are only about 35 percent efficient, meaning only 3-4 units of energy are created for every ten put in. The leftover energy is lost waste heat.

Sources of Energy

We use many different energy sources to do work for us. They are classified into two groups—nonrenewable and renewable.


In the United States, most of our energy comes from **nonrenewable** energy sources. Coal, petroleum, natural gas, propane, and uranium are nonrenewable energy sources. They are used to make electricity, heat our homes, move our cars, and manufacture all kinds of products. These energy sources are called nonrenewable because their supplies are limited. Petroleum, for example, was formed hundreds of millions of years ago from the remains of ancient sea plants and animals. We can't make more crude oil deposits in a short time.

Renewable energy sources include biomass, geothermal energy, hydropower, solar energy, and wind energy. They are called renewable because they are replenished in a short time. Day after day, the sun shines, the wind blows, the plants grow, and the rivers flow. We use renewable energy sources mainly to make electricity.


Electricity

Electricity is different from the other energy sources because it is a **secondary energy source**. We must use another energy source to produce electricity. In the U.S., coal is the number one energy source used for generating electricity.

Energy Transformations



U.S. Energy Consumption by Source, 2015



Electricity is sometimes called an energy carrier because it is an efficient and safe way to move energy from one place to another, and it can be used for so many tasks. As we use more technology, the demand for electricity grows.

Introduction to Climate Change

A Changing Climate

Since its formation, Earth's climate has been constantly changing. Many factors have altered the climate, including the Earth's orbit and changing proximity to the sun, as well as the amount of heat-trapping **gases** in the **atmosphere**.

Human societies have evolved during an extended period of favorable climatic conditions. In fact, some researchers believe that a period of favorable climate was the primary factor that allowed the rise of civilization.

Over the past several decades, scientists have collected an increasing amount of data indicating that, for the first time in Earth's history, the activities of one species—*homo sapiens*—are altering the climate. Research shows a significant increase in the **concentration** of heat-trapping gases, especially **carbon dioxide** (CO₂), in the Earth's atmosphere since the beginning of the Industrial Revolution. A rise in global temperatures relates to the rise in carbon dioxide.

There are many complex forces, both natural and man-made, that influence our climate. Should we be concerned if human activities are changing the climate? What effects might a change in climate have on us?

Weather and Climate

Climate and weather are not the same thing; the difference is simply a matter of time. **Weather** describes the conditions in the atmosphere over a short period of time, and is usually described in terms of its effects on human activities. Weather forecasts are focused on temperature, humidity, precipitation, atmospheric pressure, and wind conditions that occur over a time span of days.

Scientists use long-term averages and trends to describe **climate**. Russian Wladimir Köppen developed the most famous climate classification chart in 1884. Using annual and monthly temperatures, precipitation patterns, and native vegetation, Köppen categorized the Earth into five different climate groups. He refined it over his lifetime with the help of German scientist Rudolf Geiger. Their work is often called the Köppen-Geiger Classification System.

Climate Groups


- A. Tropical Moist Climates:** all months have average temperatures above 18° Celsius or 64.4° Fahrenheit.
- B. Dry Climates:** with deficient precipitation during most of the year.
- C. Moist Mid-Latitude Climates with Mild Winters**
- D. Moist Mid-Latitude Climates with Cold Winters**
- E. Polar Climates:** with extremely cold winters and summers.

Climatologists have analyzed multiple sources to put together a history of Earth's climate. By looking at **ice cores**, boreholes, tree rings, glacier lengths, pollen remains, ocean sediments, and by studying Earth's orbit, they have determined that the climate naturally changes over time. There are multiple variables that affect Earth's natural climate patterns.

Earth's Reflectivity

The reflectivity of the Earth's surface plays an important role in climate patterns. If you want to stay cooler on a hot, sunny day, you should wear light colors—especially white. We are kept cooler because more of the radiant energy from the sun that strikes us reflects off of lighter clothing. In darker clothing, more energy is transformed to thermal energy. Earth works the same way. Four percent of the sun's radiant energy that strikes Earth is reflected back into space. The amount of reflection that takes place at any given point of the Earth's surface varies widely. A dark surface like a parking lot or a body of water will reflect less than 10 percent of the light, while snow and ice can reflect 90 percent. Earth's atmosphere reflects 26 percent of the incoming radiation. The ability of a surface to reflect light is called its **albedo**.

During the ice ages, there were decreases in solar **radiation**. This allowed more snow to accumulate, and this high albedo surface reflected more solar radiation, keeping the ground and the air cooler. Scientists call this a 'positive feedback loop'. As this loop continued, it allowed snow and ice to accumulate for thousands of years until the **Milankovitch Cycles** increased solar radiation enough to promote warming of the climate.



Today, the opposite is occurring. As the climate has warmed, there has been a decrease in snow and ice coverage. Those surfaces that previously had a high albedo are revealing lower albedo surfaces, such as soil and water, as they melt. This feedback loop is predicted to increase the rate at which the Earth warms, as it will be able to absorb more heat.

▪ Earth's Orbit

Serbian mathematician Milutin Milanković (1879-1958) was the first to mathematically explain how the Earth's orientation to the sun and its orbital path changes over time.

Milanković's calculations explained three Earth movements—Earth's orbit (**eccentricity**), angle of tilt (**obliquity**), and wobble on its axis (**precession**). These changes occur in cycles, called Milankovitch Cycles, which last thousands of years. These cycles affect the distribution of sunlight over the Earth's surface and the intensity of the seasons, and can slightly affect the total amount of radiation received. Milanković theorized that it is these cycles that are the driving force of ice ages.

The Earth is currently between ice ages, a time of warmer global average temperatures. According to Milanković's theory, and if human factors are not taken into account, this period of relative warmth is predicted to last at least another 50,000 years. Then, as the Milankovitch Cycles change, conditions favorable for another ice age would be created.

▪ Sun's Intensity


It is also believed that changes within the sun can affect the strength of the sunlight reaching Earth's surface. Low solar activity will cause cooling, while stronger solar activity can cause warming. Between the years 1350 and 1900, the Northern Hemisphere experienced cooler temperatures, approximately 1-2°C lower than present temperatures, which caused a time known as "The Little Ice Age." NASA research links the cooler temperatures in part to reduced solar intensity.

▪ Volcanic Eruptions

Short term climate changes can occur with large, or multiple, volcanic eruptions. When a volcano erupts, **aerosols** and carbon dioxide are added to the air. Aerosols contribute to short term cooling because they block the sun's radiant energy. Aerosols do not stay in the atmosphere long, which is why their impact is only short term. Indonesia is a volcanic island nation. It is believed that some of its larger eruptions, Mount Toba 71,000 years ago, Tambora in 1815, and Krakatau in 1883, all contributed to world-wide cooling in the years immediately following the eruptions. Other **volcanism** along the Pacific Ring of Fire and Greenland may have also led to temporary cooler temperatures within longer climate cycles.


When volcanoes erupt, additional CO₂ is sent into the atmosphere. One theory is that numerous volcanic eruptions raised CO₂ levels enough to raise temperatures periodically over the last 400 million years. However, research into the relationship of volcanic CO₂ to climate change has not shown a strong connection between the two.

Eccentricity



Eccentricity is the shape of the Earth's orbit around the sun. This constantly fluctuating, orbital shape ranges between more and less elliptical on a cycle of about 100,000 years.

Obliquity



Range of the tilt of Earth's axis of rotation (obliquity). Present tilt is 23.5°.

Precession



Precession is the change in direction of the Earth's axis of rotation caused primarily by the gravitational pull of the sun and moon.

Natural Climate Change and Climate Change From Human Activity

It is estimated that ten thousand years ago there were five million humans on Earth. One thousand years ago the population had reached 254-245 million, and by 1900 the world's population had reached 1.6 billion. Today, there are more than seven billion people on Earth. Natural climate cycles provided warmer climates and allowed the human population to grow rapidly.

As some climatologists continued to analyze and record temperatures, they found a rising temperature trend—one that was moving faster than they would have expected based on normal Earth cycles. Climate scientists believe that the way humans are interacting with the Earth in their everyday lives is causing a faster than natural climate change.

Earth's Systems

The Earth can be divided into four systems—the **lithosphere**, the **hydrosphere**, the **biosphere**, and the **atmosphere**. Each of these systems has a specific role in keeping the Earth going and in the storage of carbon. They each play a part in affecting the weather, which then affects the climate. These systems, and their **cycles**, replenish the Earth with water, supply energy, and create a climate that is able to sustain life. Each system has many inputs and outputs, which can affect the overall Earth system. Some of these systems are affected by natural inputs and outputs. Some of these systems are affected by inputs specifically from human activity.

▪ The Lithosphere


Rocks, minerals, volcanoes, and **fossil fuels** make up the lithosphere. The major cycle within the lithosphere is the rock cycle. Slowly, over long periods of time, rocks can be changed from sedimentary rocks, to metamorphic rocks, to igneous rocks. By far, most of the carbon on Earth is found in the lithosphere—over 50,000 times as much as that found in the atmosphere. Carbon mainly takes the form of carbonates (combinations of **carbon**, calcium, and oxygen) and is found in rocks such as limestone and shale. Sedimentary rocks contain fossils of plants and animals. As the sedimentary rocks go through the rock cycle, these fossils are subjected to pressure and heat. Under these conditions some of the fossils transform into fossil fuels—petroleum, coal, and natural gas, which are all combinations of hydrogen and carbon called **hydrocarbons**.

▪ The Hydrosphere


Over seventy percent of the Earth is covered by bodies of water—oceans, lakes, rivers, etc. Any form of water is included in the hydrosphere. Water is constantly on the move, flowing in a river, in the changing tides and currents of an ocean, and through the water cycle.

Water vapor is released to the atmosphere from all surface water sources, like oceans, lakes, and other fresh and salt water bodies. When water vapor in the atmosphere is cooled and has condensed, it falls back to the Earth as **precipitation** in the form of rain, snow, sleet, or hail. When water vapor condenses closer to the surface, precipitation is found in the form of dew or fog. Precipitation can fall onto land (the lithosphere) or back into a body of water, staying in the hydrosphere.


Systems of the Earth



Lithosphere: The Rock Cycle



Hydrosphere: The Water Cycle



A very small percentage of the carbon in the hydrosphere is found in the fresh water sources (mostly in groundwater). Most of the carbon in the hydrosphere is found in the world's oceans. This carbon is found mainly in the form of carbonates. It is also found in the upper levels of the ocean where dissolved carbon dioxide is utilized by plants for photosynthesis. The carbon contained in marine and plant animals is also part of the carbon content of the hydrosphere.

▪ The Biosphere

Plants, animals, fungi, and microorganisms are examples of parts of the biosphere. Included in this system are things that are living, were alive a short time ago, or are derived from living organisms. Cycles within the biosphere include the life cycle for both plants and animals. The food chain is also an important event taking place within the biosphere. Cycles from outside the biosphere are crucial to the continuation of the biosphere cycles. These cycles include the water cycle, nitrogen cycle, **carbon cycle**, and the flow of energy throughout them. The biosphere contains vast amounts of carbon. It is found in the form of **carbohydrates** and proteins primarily in both living and decaying organisms.


▪ The Atmosphere

The atmosphere interacts with all of the other systems. The atmosphere acts like the glass of a greenhouse; it surrounds the Earth and keeps it warm, allowing an environment that promotes life. This is called the **greenhouse effect**. Composed of layers of gases surrounding the Earth, the atmosphere is made of roughly 78 percent nitrogen, 21 percent oxygen, and one percent argon. The remaining one percent is made of a mixture of carbon dioxide (CO₂), **methane** (CH₄), **nitrous oxide** (N₂O), water vapor, and trace amounts of other gases. CO₂, CH₄, and water vapor have proven to be very efficient at trapping heat. These and several other gases are known as the **greenhouse gases** (GHGs). The atmosphere contains the smallest amount of carbon compared to the other Earth systems. Here, carbon primarily takes the form of CO₂, but also as CH₄. The atmosphere is the only Earth system that exchanges large amounts of carbon directly with all of the others.

Greenhouse gases are molecules that are good at trapping thermal energy. They are able to absorb **infrared radiation** and then re-radiate it, most often to another greenhouse gas molecule. Eventually, the heat flows to the upper atmosphere and outer space, but the gases slow down this heat transfer, acting like a layer of insulation acting almost like plastic wrap on a plate of warm food. While oxygen and nitrogen make up 98 percent of the atmosphere, they are not affected by thermal energy in the same way that GHGs are.

Even though GHGs make up less than one percent of the atmosphere, their heat trapping abilities are powerful, and small changes in their concentration appear to be making a significant difference to Earth's climate.


Biosphere: The Food Chain



The sun is part of the food chain. Plants turn sunlight directly into food, but animals cannot.

A mouse gets its energy from the plant, which got its energy from the sun. A snake gets its energy by eating the mouse. A hawk gets its energy by eating the snake.


Atmospheric Composition, Dry Air



Water vapor varies widely from region to region and according to the time of year. The average is about one percent and can be anywhere from trace amounts to four percent of atmospheric volume.

The Greenhouse Effect

A natural heat-trapping process



Radiant energy (light rays) shines on the Earth. Some radiant energy reaches the atmosphere and is reflected back into space. Some radiant energy is absorbed by the atmosphere and is transformed into heat (dark arrows).

Half of the radiant energy that is directed at Earth passes through the atmosphere and reaches the Earth, where it is transformed into heat.

The Earth absorbs some of this heat. Most of the heat flows back into the air. The atmosphere traps the heat. Very little of the heat escapes back into space. The trapped heat flows back to the Earth.

A Closer Look at Greenhouse Gases

Carbon Dioxide

Over eighty percent of U.S. greenhouse gas emissions come in the form of carbon dioxide. Historically, natural levels of CO₂ in the atmosphere have been controlled by the carbon cycle that occurs between Earth's four systems. Today only five percent of atmospheric CO₂ levels are attributed to natural processes. Ninety-five percent of CO₂ emissions come from human activity—the **combustion** of fossil fuels in electricity generation, transportation, industrial, commercial, and residential uses.

Methane

Methane is not as abundant in the atmosphere as CO₂; it only makes up about 10 percent of U.S. greenhouse gas emissions, but it is 20 times more effective at trapping heat than CO₂. However, methane has a short lifespan. It breaks down in the atmosphere after approximately 12 years. In the last 250 years, CH₄ concentrations have risen 160 percent. Methane emissions come from the digestive process of livestock, decomposition of waste in landfills, solid waste, producing and burning fossil fuels, biomass burning, and rice cultivation.


Nitrous Oxide

Nitrous oxide makes up a little over 5 percent of the U.S. greenhouse gas emissions, yet N₂O is over 300 times more powerful than carbon dioxide at trapping heat. N₂O is naturally released into the atmosphere from natural processes in the soil and ocean. However, current agricultural practices release high levels of N₂O from the soil, as does fuel combustion in motor vehicles.

Water Vapor


Climatologists who have been analyzing greenhouse gases have found that water vapor is the most abundant GHG. It accounts for two-thirds of all heat trapped in the atmosphere. Constantly moving between the hydrosphere, atmosphere, and biosphere in the water cycle, water vapor is a key player in the climate

The Carbon Cycle



picture. Some climate scientists believe that rising atmospheric temperatures around the world may allow the atmosphere to hold more water vapor, which might, in turn, lead to more warming. However, water vapor levels have remained relatively constant through history, so it does not appear that increased water vapor is responsible for the changing climate.


U.S. GREENHOUSE GAS EMISSIONS



Data: U.S. Environmental Protection Agency

*F-gases include HCFCs, PFCs, and SF₆, which are used in many different industrial applications, including refrigerants, propellants, and tracer chemicals.

SOURCES



Fossil Fuels Past and Present

359 million to 299 million years ago the world had a more tropical and mild year-round climate than it does today. Called the Carboniferous Period, the climate during this time allowed the growth of large swamps and tropical forests filled with towering trees, massive ferns, large horsetails, and other leafy vegetation.

These plants all relied on the sun's radiant energy and the process of **photosynthesis** to grow and flourish. During photosynthesis, the plants use radiant energy from the sun to turn water and the carbon dioxide in the air into chemical energy. They store the energy in their leaves, fruits, stalks, and roots in the form of carbohydrates. Plants release oxygen back into the air. There were so many plants during this period that large amounts of carbon dioxide were removed from the atmosphere and large amounts of oxygen were released back into the atmosphere. During the Carboniferous Period, oxygen made up about 35 percent of the atmosphere.

Plants that grew in the swamps also died in the swamps. When the plants died the unused carbohydrates remained in the plant. Plant remains were covered by sand and clay and formed a layer of peat, which kept getting pushed farther and farther down as the land above shifted. Over millions of years the pressure and heat from the Earth squeezed out all of the water from the peat and it turned into coal.

Global Greenhouse Gas Emissions

Only a few countries produce most of the global carbon dioxide emissions each year. A look at the top six:



RANK/COUNTRY	CO ₂ EMISSIONS MILLION METRIC TONS	SHARE OF GLOBAL EMISSIONS
1. China	9,376.68	27.80%
2. United States	5,507.80	16.33%
3. India	1,895.36	5.62%
4. Russia	1,756.00	5.21%
5. Japan	1,177.08	3.49%
6. Germany	756.17	2.24%




The Rest of the World 39.32%

World Total = 33,732.83

Data: Energy Information Administration

How Petroleum and Natural Gas Were Formed




Tiny sea plants and animals died and were buried on the ocean floor. Over time, they were covered by layers of sediment and rock.

Over hundreds of millions of years, the remains were buried deeper and deeper. The enormous heat and pressure turned them into oil and gas.

Today, we drill down through the layers of sedimentary rock to reach the rock formations that contain oil and gas deposits.

How Coal Was Formed



Millions to hundreds of millions of years ago, dead plant matter fell into swampy water and overtime, a thick layer of dead plants lay decaying at the bottom of the swamps. Over time, the surface and climate of the Earth changed, and more water and dirt washed in, halting the decay process, forming peat.

The weight of the top layers of water and dirt packed down the lower layers of plant matter. Under heat and pressure, this plant matter underwent chemical and physical changes pushing out oxygen and leaving rich hydrocarbon deposits. What once had been plants gradually turned into coal.

Coal can be found deep underground (as shown in this graphic), or it can be found near the surface.

Similarly, oil and natural gas are the result of small plants and animals that lived in the sea and died hundreds of millions of years ago, before dinosaurs lived. Remains of the plants and animals fell to the sea floor, and over time were buried under sediment and other rock. The heat and pressure turned the carbon into oil and natural gas.

For many millions of years the carbon dioxide found in fossil fuels was trapped deep below the ground. Levels of carbon dioxide in the atmosphere changed with Earth's natural processes of carbon cycling. Humans relied on solar energy or burning biomass, usually wood, for cooking, heating, and lighting. The relatively small addition of carbon dioxide into the atmosphere from the burning of wood does not seem to have had a significant impact on Earth's overall climate.

When the Industrial Revolution began in the mid 1700s, energy use began to change dramatically. In less than 200 years, coal, petroleum, and natural gas became the primary sources for industry, electricity, and transportation.

Effects of Climate Change

The use of fossil fuels allows humans to see at night, to stay comfortable in hot weather and cold, to cook food efficiently, to keep food for longer periods of time, and to travel quickly from place to place. Fossil fuels allow us to work, move goods and products to market, and to make technology work. The CO₂ concentration in the atmosphere prior to the Industrial Revolution was about 280 ppm (parts per million). Currently, CO₂ concentration is about 410 ppm, a more than 45 percent increase. As already discussed, levels of methane, nitrous oxide, and other greenhouse gases have also increased. Scientists are studying what effects these higher levels of gases are currently having on our climate and what the future implications may be.


Temperature

In 2013, the **Intergovernmental** Panel on Climate Change (IPCC) concluded, "Warming of the climate system is unequivocal, and since the 1950s, many of the observed changes are unprecedented over decades to millennia. The atmosphere and ocean have warmed, the amounts of snow and ice have diminished, sea level has risen, and the concentrations of greenhouse gases have increased." In the years since, many more studies have been conducted by climatologists. They have collected more data and have analyzed the predictions made in 2013.


Using data collected both by using satellites and by personal presence, scientists have confirmed earlier reports that average temperatures over land and water are increasing. Land surface air temperatures have increased over 1.3°C since 1880. The rate of change since 1979 has been more than double the rate of change in the previous 100 years. In other words, temperatures over land are increasing, and are doing so at a higher and higher rate. Temperatures on the surface of the seas have been increasing, too. Since 1979 scientists have measured a 0.6°C increase in average ocean surface temperature.

Why are land temperatures increasing more than water temperatures? For one, water has the capacity to absorb more thermal energy than land. Thus, the same amount of energy added to land will result in a greater temperature change than would be


Global Temperature Change Since 1880



CO₂ Levels 1744-Present



Contiguous U.S. Annual Average Temperatures 1895-present



seen in an equal mass of water. Additionally, the Earth's surface is about $\frac{3}{4}$ water and only $\frac{1}{4}$ land. Most solar energy reaching the surface of the Earth will reach the oceans rather than land. As a result, most of the sun's incoming solar energy warms the water rather than the land on Earth.

Not only are overall average, year-round temperatures increasing, but also the average high temperatures (day time) and low temperatures (night time) are increasing. There have been significantly more heat waves in regions between the tropics and the Arctic and Antarctic Circles, known as temperate regions. Most of the United States lies in this temperate zone.

In the United States, the National Oceanic and Atmospheric Administration (NOAA) National Climatic Data Center statistics show that the average contiguous U.S. temperature is trending above normal, increasing 0.13°F each ten years since 1895, and 0.48°F per decade since 1979. All of the climate regions have been increasing in temperature since 1895 except for the Southeast, but since 1979 this region has shown temperature increases, too.

Increasing temperatures worldwide are making significant **impacts** in all areas, but are most marked in the cryosphere, or portion of the Earth that is frozen most or all of the time. In these regions, sea ice, glacier volume, land ice sheet size, and permafrost area have all decreased dramatically since the Industrial Revolution. According to the IPCC's Fifth Assessment Report, released in 2013, sea ice has decreased 3.5-4.1% each decade between 1979 and 2012. Multi-year ice, or ice that has been in continuous existence for more than one freezing season, has decreased by 13.5% per decade.

Glaciers are shrinking worldwide at a rate that has been raising sea levels 0.83 mm/year since 2005, and this loss is likely irreversible. When it was established in 1910, Glacier National Park in Montana had nearly 150 glaciers. In 2010, the number of remaining glaciers larger than 25 acres had been reduced to 25. Scientists believe that by 2020 all of the glaciers in this park may be gone. In May, 2014, scientists from the University of California-Irvine and NASA's Jet Propulsion Laboratory concluded that six glaciers in Antarctica were degrading more rapidly than previously expected, and that the loss of the glaciers is inevitable. Ice sheets in Greenland have been decreasing in mass, too. Between 1992 and 2001, 34 **gigatons** (one billion tons, Gt) of ice were lost each year. However, between 2002 and 2011, 215 Gt were lost each year. More than $\frac{2}{3}$ of the Earth's fresh water is found in glaciers and ice sheets.


Permafrost in northern Russia has migrated northward by 50 km. As permafrost thaws, it releases additional carbon dioxide and methane that would otherwise have remained trapped in the frozen ground. However, it is difficult to identify exactly the amount of these two gases that have been released into the atmosphere as a result of permafrost thawing.

■ Sea Level Changes


In the last century, data shows that the sea level has risen worldwide approximately 12-22 centimeters. The rate and amount the sea level has changed varies greatly depending on the region. In some regions levels are quickly rising, while in others sea levels are actually falling. Previously, monitoring devices were lacking outside of the U.S., Europe, and Japan, making it difficult to gather data about long-term trends in regional sea level rise. However, a number of methods using satellite data and mathematical modeling have concluded that sea levels rose between 1900 and 2010 at a rate of

NASA's Theoretical Sea Level Change


1 Meter



2 Meters



4 Meters



8 Meters




Image courtesy of NASA

Scientists are unsure about how much sea levels may rise due to global climate change. This map shows one model of areas in the southeastern United States that could be affected by a rise in sea level (black).

HURRICANE ISABEL




Image courtesy of NASA

This photo from the International Space Station shows Hurricane Isabel, a 2003 Category 5 storm. Climatologists believe climate change may generate more intense storms.

1.7 mm/year, and between 1993 and 2010 at a rate of 3.2 mm/year. While scientists do not know all of the reasons behind the increased levels, they have a high confidence that they are indeed rising, and are confident in some of the primary factors.

First, the oceans are warming. From the surface to a depth of 700 meters, global ocean temperature has risen by 0.10°C between 1961 and 2010. When matter undergoes a temperature change its volume changes. In this case, when water is heated, the particles are more active and maintain a greater average separation, causing the water to expand and the sea level to rise. The IPCC believes that **thermal expansion** accounts for about 57 percent of sea level rise each year.

Melting of glaciers and ice sheets is another major factor contributing to rising sea levels. As stated before, much of the loss of ice in Greenland and Antarctica has been ruled irreversible, and the degradation of glaciers worldwide will continue even if global temperatures stop rising because of changes in precipitation patterns and amounts in regions where glaciers and ice sheets exist.

▪ Weather Events

Climatologists previously hypothesized that an increase in greenhouse gases and the subsequent increase in temperatures would lead to an increase in evaporation and precipitation. While this has not been shown to be true on a global scale, in certain regions precipitation has increased since the 2007 IPCC report. In temperate regions of the Northern Hemisphere, precipitation has increased, and some winter precipitation that would have previously fallen as snow is now falling as rain. However, in the tropics and Southern Hemisphere, precipitation amounts have remained unchanged. In the Mediterranean and West Africa, **droughts** have increased.

Extreme weather events have been increasing. The number of heat waves per year has increased since 1950, and while the frequency of tropical storms and hurricanes has not noticeably increased, there is a trend towards increased storm intensity and duration. The number of Category 4 and 5 storms has increased by about 75 percent since 1970, driven by a rise in water temperature at the surface of the ocean. Furthermore, the pathways these extreme storms travel has shifted toward the poles. Worldwide there is a general increase in precipitation intensity. In North America, heavy downpours have become more frequent and more intense in the eastern United States, while droughts in western states are becoming more frequent and intense.

Weather events, precipitation amounts, and surface temperatures are all interrelated. Hot days and droughts are linked together, too. Isolating one effect of global climate change from another is difficult. It is important to remember that a change in one effect will result in changes to many other Earth systems.

▪ Ocean Acidification

The oceans are a natural **carbon reservoir** and they have been able to absorb extra amounts of CO₂ being emitted. Between 1750 and 1994, the **inorganic** carbon content of the ocean increased by about 118 gigatons of carbon. This amount had increased in 2010 to 160 gigatons. The oceans have absorbed carbon dioxide from the atmosphere, which has lowered the oceans' pH by 0.1 pH units and has made the oceans more acidic. Scientists predict that this higher acidity will make calcification more difficult, affecting the formation of corals and marine calcifiers, including shells and skeletons by corals, crabs, marine snails, and clams. If these organisms are affected, the entire reef ecosystem, that includes many other organisms, can also suffer.




Image courtesy of National Oceanographic and Atmospheric Administration

Ocean acidification may affect the formation of coral and other marine calcifiers.

Furthermore, the oceans will not be able to continue to absorb carbon in the amounts seen in the last 150 years. As the water temperature decreases, the solubility of gases, including carbon dioxide, also decreases. The northern Atlantic Ocean has been absorbing 240 megatons less carbon each year. As sea temperatures increase, the oceans' ability to absorb excess carbon from the atmosphere will be decreased.

▪ Worldwide Impacts

Scientists have data showing that greenhouse gases, particularly CO₂, are more concentrated than ever before recorded in historical data. They have been observing different indicators, including temperatures, weather events, sea levels, and ocean acidification, to determine what effect greenhouse gases are having on Earth and its inhabitants; yet much is still unknown. When it comes to predicting the impact of this concentration of carbon dioxide, scientists are unsure of exactly what may happen. Looking back through history and at current patterns, climatologists, biologists, **geologists**, **meteorologists**, and sociologists are making predictions. In the seven years between the IPCC's Fourth Assessment Report and the Fifth Assessment Report, more data, analysis, and interpretation has confirmed the effects first predicted by climatologists in the 1990s. Scientists are concerned that the indicators mentioned above and other impacts will continue to become more pronounced in the future. Because of these predictions, policy-makers worldwide have increased discussions on how best to monitor, manage, and mitigate carbon dioxide **emissions** while maintaining quality of life and economic stability.

Mitigating Climate Change

Carbon dioxide stays in the atmosphere for a long time. The carbon dioxide we emit and continue to emit will be present in Earth's systems for some time to come. While emissions can be slowed, it will take time before actions that reduce emissions turn into a reduction of carbon dioxide in the system. With this knowledge, policy-makers must consider ways to **adapt** to any future impacts of climate change while planning ways to reduce emissions today. Throughout history, societies around the world have adapted to changes in their environment, and have taken steps to reduce the impact of those changes on their communities.

▪ Mitigation

To **mitigate** climate change means to make its impact less severe. Many scientists believe that climate change can be mitigated through advances in technology and individual lifestyle modifications. To reduce carbon emissions to sustainable levels, we will need to turn to more energy sources that do not emit carbon dioxide such as uranium, solar, hydropower, and wind.

A combination of these types of actions will need to be taken on the international and governmental level, and at the individual level as well.

International Awareness

Climate change impacts every person around the globe, so climate change is an international issue. There has been a history of the international community coming together to try and make plans to combat rising levels of greenhouse gases. In 1997, the Kyoto Protocol was a first step in coming to an international agreement on greenhouse gas levels. The United States has not ratified the Kyoto Protocol because it did not have targets or timetables outlined for developing nations as well as industrialized nations.

This agreement expired in 2012. World leaders continue to meet to discuss the topic of emissions. Some members of the Kyoto Protocol have signed and agreed to an extension through 2020. Debate continues about an international system for monitoring and lowering emissions.

Personal Awareness

Part of battling climate change means having a better awareness and understanding of how individual actions affect climate change. People often talk about having a “carbon footprint.” A carbon footprint refers to the greenhouse gas emissions caused directly and indirectly by an individual, a product, an organization, or an event. Each person has an individual carbon footprint. Each classroom, school, family, and home have specific carbon footprints. A total carbon footprint is based on several factors—how much energy is used, the way electricity is generated, water use, the types of transportation used, foods that are eaten, and products and services used. By decreasing your carbon footprint you can help decrease the production of carbon dioxide.

GHG emissions from electricity production vary depending upon the sources of energy your utility provider uses for generation. Fossil fuels used to generate electricity produce carbon dioxide; however, hydropower, solar, and nuclear energy are considered **carbon neutral**. Using less energy, more efficient appliances, and using electricity from low or no-carbon sources are among ways to decrease your carbon footprint.

Transportation is a major part of your carbon footprint, because energy is needed for almost every form of transportation. Most cars and buses use gasoline or diesel fuel and produce GHGs as they combust. Carpooling and using public transportation are more efficient ways to use energy and thus contribute less GHGs than other transportation options. Walking or using a bicycle has no carbon impact.

Water usage is another area that influences the size of your carbon footprint. The processes of finding, purifying, treating, and transporting water involve energy and procedures that have a carbon footprint. When we are done with water, if it goes to a sewage or water treatment plant, these steps also add to water’s carbon footprint.

It is harder for people to think of individual products, like games or pencils, as adding to their carbon footprint, but our product choices impact our carbon footprint as well. Every product has a “life cycle” that includes everything that had to happen to make, deliver, and dispose of the item. Recycling products is an easy way to decrease the size of your footprint. For example, if you recycle your aluminum can you are helping save energy. Using recycled aluminum requires

about 95 percent less energy than used in the original process of converting bauxite into metal. The size of your carbon footprint is adjusted based on if you reuse products, recycle them, or throw them away.

Like products, the food you eat plays a role in determining your carbon footprint. When analyzing food’s impact you also have to look at the life cycle of the food you consume (an apple, for example), the amount of water and type of fertilizer used, and the machinery and vehicles used to pack and transport food from where it is grown to where it is consumed. What happens to that plate of leftovers in the refrigerator? Does it go in the trash, to a compost pile, or through the garbage disposal?

Energy Sustainability

Efficiency and conservation are key components of energy **sustainability**. Every generation should meet its energy needs without compromising the needs of future generations.

Sustainability focuses on long-term strategies and policies that ensure adequate energy to meet today’s needs and the needs of tomorrow. Sustainability also includes investing in research and development of advanced technologies for producing conventional energy sources, promoting the use of renewable energy sources, and encouraging responsible environmental policies and practices.

Looking to the Future

Our environment provides us with all of the essential resources we need. It provides us with sources of food, water, and oxygen, as well as reservoirs that can store and process the waste or byproducts created by our activities. How do we balance our need for energy with the importance of efficiency and conservation? While this issue is very complex, creative solutions by government and industry can lead to a thriving economy and stable climate. It is the choice of individuals that makes the most difference. Using energy wisely and conserving our resources is a good idea.





Climate Change KWL Chart

What I Think I KNOW	What I WANT to Know	What I LEARNED



Greenhouse in a Beaker

Question

What affect does adding carbon dioxide to the air have on the air's temperature during the day and during the night?

Hypothesis

In your science notebook, record your hypothesis in an "If...then...because..." format.

Materials

- 2 600 mL Beakers
- 1 250 mL Flask
- 1 Rubber stopper with hole
- 1 Vinyl tubing, 3/16" diameter, 60 cm long
- 1 Clip light
- 1 1000-1100 lumen Bulb (equivalent to 75-watt incandescent)
- 1 Ruler
- 2 Probe thermometers
- Small piece of masking tape
- 4 Alka-Seltzer® tablets
- Safety glasses
- 240 mL Water (room temperature)

Procedure

Part 1—Day

1. Set up the light source 15 cm in front of the two beakers. The beakers should be receiving equal light.
2. Insert the tubing through the hole in the 250 mL flask, making sure to keep the tubing from reaching the bottom of the flask. Place the other end of the tubing near the bottom of one of the beakers. Secure the tubing inside this beaker with a small piece of masking tape.
3. Add 120 mL of water to the flask. Be sure the tubing is not in the water.
4. Turn on the clip light. Wait for the temperature in each beaker to stabilize. The temperatures in the beakers should be similar, but they do not have to be exactly the same.
5. Record the stable temperature of each beaker in the data table.
6. Break two Alka-Seltzer® tablets in half and drop the pieces into the flask. Secure the rubber stopper into the flask and make sure the tubing still leads from the flask to the beaker.
7. Record the temperature of each beaker every 30 seconds for three minutes.

Part 2—Night

1. After you have data to model temperatures during the day, empty out your beakers and flask. Refill the flask with 120 mL water. Resecure the tubing inside one of the beakers.
2. Turn on the clip light. Wait for the temperature to stabilize. The temperatures in the beakers should be similar, but they do not have to be exactly the same.
3. Record the stable temperature of each beaker in the data table.
4. Break two more Alka-Seltzer® tablets in half and drop the pieces into the flask. Secure the rubber stopper as done before.
5. Turn off the light.
6. Record the temperature of each beaker every 30 seconds for three minutes.

Data

Record your data in these tables or copy the tables into your science notebook.

Simulated Day Data

	BEAKER 1 (WITHOUT CO ₂)	BEAKER 2 (WITH CO ₂)
Beginning Temperature		
30 seconds		
1 minute		
1 minute, 30 seconds		
2 minutes		
2 minutes, 30 seconds		
3 minutes		

Simulated Night Data

	BEAKER 1 (WITHOUT CO ₂)	BEAKER 2 (WITH CO ₂)
Beginning Temperature		
30 seconds		
1 minute		
1 minute, 30 seconds		
2 minutes		
2 minutes, 30 seconds		
3 minutes		

Create a graph displaying both the day and night temperatures for both beakers.

** Conclusions

1. Do you accept or reject your hypothesis? What were the results of your investigation? Use data to explain what happened.
2. Why do you think this happened?
3. How does this demonstration relate to climate change?



Carbon Reservoir Comparison

Atmosphere

Biosphere


Hydrosphere

Lithosphere

Atmosphere — CO₂ Gas

You are a CO₂ molecule in the atmosphere.


- You came from
- the hydrosphere by **degassing**, or
 - land animals or soil through **respiration**, or
 - from the lithosphere through the **combustion** of fossil fuels.



Biosphere — Land Plant

You are now part of a glucose molecule in a carrot.

- You came as a **carbon dioxide molecule** from the atmosphere by the **photosynthesis** process.



Through photosynthesis, a plant combined carbon, water, and solar energy to create a molecule of glucose.

$$6\text{CO}_2 + 6\text{H}_2\text{O} + \text{Energy} \longrightarrow \text{C}_6\text{H}_{12}\text{O}_6 + 6\text{O}_2$$

Biosphere — Soil

You are now part of an organic molecule in the soil.

You came as part of a **protein molecule** in a plant or animal that died and decomposed.



You became part of an organic molecule in the soil through the process of respiration in soil microbes.

Biosphere — Land Animal

You are now part of a protein molecule in a rabbit.

You came as a **glucose molecule** from a carrot in the biosphere through the **consumption** process.



Glucose: $C_6H_{12}O_6$

The rabbit ate a carrot and through digestion and respiration broke down the glucose molecule, which released energy for her to use to hop around. The glucose molecule broke down into molecules of carbon dioxide and water and the carbon eventually became part of a protein molecule.



Hydrosphere — Ocean

You are part of a dissolved CO₂ molecule in the ocean.

You came as part of a **carbon dioxide molecule** from the atmosphere by the **dissolution** process or from a marine animal through **respiration**.



Hydrosphere — Marine Plant

You are now part of a glucose molecule in seaweed.


You came as part of a **carbon dioxide molecule** from the hydrosphere-ocean through the **photosynthesis** process.



Through photosynthesis, a plant used water and energy from the sun to create a molecule of glucose.




Glucose



Hydrosphere — Marine Animal

You are now part of a protein molecule in a sea turtle.

You came as part of a **glucose molecule** from seaweed in the hydrosphere through the **consumption** process.




The turtle ate seaweed and through digestion and respiration, broke down the glucose molecule, which released energy for her to use to swim around. The glucose molecule broke down into molecules of carbon dioxide and water and the carbon eventually became part of a protein molecule.



Lithosphere — Fossil Fuel

You are now part of a hydrocarbon molecule in fossil fuels.

You are part of a **hydrocarbon molecule** in the lithosphere. You are a part of all fossil fuels. Fossil fuels took millions of years to form.



Fossil fuels are made up of hydrocarbon molecules, which are made up of carbon, hydrogen, and oxygen atoms. Fossil fuels include coal, petroleum, and natural gas. Until people discovered how to burn fossil fuels to create energy and for other uses, the hydrocarbons stayed underground for millions of years.



The Atmosphere: CO₂ Gas Pre-Industrial Round

You are now part of a carbon dioxide molecule in the atmosphere.

1. When you arrive, use the *Carbon Tracking Sheet* and the poster to fill in the "I arrived here by the process of ..." and "What I am now" columns of your worksheet.
2. Record the total number of carbons in this reservoir in the space provided below.
3. When directed, each person draws a card. Use the chart below to figure out where each person goes next. Then each person fills in the "Next I am going to the..." column on their worksheet.
4. Return cards to the pile and shuffle.
5. WAIT UNTIL YOU ARE DIRECTED TO MOVE TO YOUR NEW RESERVOIR.

	GO TO THE LAND PLANT RESERVOIR	GO TO THE OCEAN RESERVOIR	STAY IN THE ATMOSPHERE RESERVOIR	NUMBER OF CARBONS IN THIS RESERVOIR
Start				
1	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	
2	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	
3	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	
4	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	
5	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	
6	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	
7	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	
8	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	
9	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	
10	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	



CARBON CYCLE SIMULATION

The Atmosphere: CO₂ Gas Present-Day Round

You are now part of a carbon dioxide molecule in the atmosphere.

1. When you arrive, use the *Carbon Tracking Sheet* and the poster to fill in the "I arrived here by the process of ..." and "What I am now" columns of your worksheet.
2. Record the total number of carbons in this reservoir in the space provided below.
3. When directed, each person draws a card. Use the chart below to figure out where each person goes next. Then each person fills in the "Next I am going to the..." column on their worksheet.
4. Return cards to the pile and shuffle.
5. WAIT UNTIL YOU ARE DIRECTED TO MOVE TO YOUR NEW RESERVOIR.

	GO TO THE LAND PLANT RESERVOIR	GO TO THE OCEAN RESERVOIR	STAY IN THE ATMOSPHERE RESERVOIR	NUMBER OF CARBONS IN THIS RESERVOIR
Start				
1	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	
2	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	
3	<u>Two</u> Highest Cards	Next <u>Four</u> Highest Cards	All Others	
4	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	
5	<u>Two</u> Highest Cards	Next <u>Four</u> Highest Cards	All Others	
6	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	
7	<u>Two</u> Highest Cards	Next <u>Four</u> Highest Cards	All Others	
8	<u>Two</u> Highest Cards	Next <u>Four</u> Highest Cards	All Others	
9	<u>Two</u> Highest Cards	Next <u>Four</u> Highest Cards	All Others	
10	<u>Two</u> Highest Cards	Next <u>Three</u> Highest Cards	All Others	



CARBON CYCLE SIMULATION

The Biosphere: Land Plant All Rounds

You are now part of a glucose molecule in a carrot.

1. When you arrive, use the *Carbon Tracking Sheet* and the poster to fill in the "I arrived here by the process of ..." and "What I am now" columns of your worksheet.
2. Record the total number of carbons in this reservoir in the space provided below.
3. When directed, each person draws a card. Use the chart below to figure out where each person goes next. Then each person fills in the "Next I am going to the..." column on their worksheet.
4. Return cards to the pile and shuffle.
5. WAIT UNTIL YOU ARE DIRECTED TO MOVE TO YOUR NEW RESERVOIR.

	GO TO THE LAND ANIMAL RESERVOIR	GO TO THE SOIL RESERVOIR	STAY IN THE LAND PLANT RESERVOIR	NUMBER OF CARBONS IN THIS RESERVOIR
Start				
1	High Card	Low Card	All Others	
2	<u>Two Highest Cards</u>		All Others	
3	High Card	Low Card	All Others	
4	<u>Two Highest Cards</u>		All Others	
5	High Card	Low Card	All Others	
6	<u>Two Highest Cards</u>		All Others	
7	High Card	Low Card	All Others	
8	<u>Two Highest Cards</u>		All Others	
9	High Card	Low Card	All Others	
10	<u>Two Highest Cards</u>		All Others	



CARBON CYCLE SIMULATION

The Biosphere: Land Animal All Rounds

You are now part of a protein molecule in a rabbit.

1. When you arrive, use the *Carbon Tracking Sheet* and the poster to fill in the "I arrived here by the process of ..." and "What I am now" columns of your worksheet.
2. Record the total number of carbons in this reservoir in the space provided below.
3. When directed, each person draws a card. Use the chart below to figure out where each person goes next. Then each person fills in the "Next I am going to the..." column on their worksheet.
4. Return cards to the pile and shuffle.
5. WAIT UNTIL YOU ARE DIRECTED TO MOVE TO YOUR NEW RESERVOIR.

	GO TO THE ATMOSPHERE	GO TO THE SOIL RESERVOIR	STAY IN THE LAND ANIMAL RESERVOIR	NUMBER OF CARBONS IN THIS RESERVOIR
Start				
1	High Card		All Others	
2	High Card	Low Card	All Others	
3	High Card		All Others	
4	High Card	Low Card	All Others	
5	High Card		All Others	
6	High Card	Low Card	All Others	
7	High Card		All Others	
8	High Card	Low Card	All Others	
9	High Card		All Others	
10	High Card	Low Card	All Others	



CARBON CYCLE SIMULATION
The Biosphere: Soil
All Rounds

You are now part of an organic molecule in the soil.

1. When you arrive, use the *Carbon Tracking Sheet* and the poster to fill in the "I arrived here by the process of ..." and "What I am now" columns of your worksheet.
2. Record the total number of carbons in this reservoir in the space provided below.
3. When directed, each person draws a card. Use the chart below to figure out where each person goes next. Then each person fills in the "Next I am going to the..." column on their worksheet.
4. Return cards to the pile and shuffle.
5. WAIT UNTIL YOU ARE DIRECTED TO MOVE TO YOUR NEW RESERVOIR.

	GO TO THE ATMOSPHERE RESERVOIR	STAY IN THE SOIL RESERVOIR	NUMBER OF CARBONS IN THIS RESERVOIR
Start			
1	High Card	All Others	
2	High Card	All Others	
3	High Card	All Others	
4	High Card	All Others	
5	High Card	All Others	
6	High Card	All Others	
7	High Card	All Others	
8	High Card	All Others	
9	High Card	All Others	
10	High Card	All Others	



The Hydrosphere: Ocean All Rounds

You are now part of a dissolved carbon dioxide molecule in the ocean.

1. When you arrive, use the *Carbon Tracking Sheet* and the poster to fill in the "I arrived here by the process of ..." and "What I am now" columns of your worksheet.
2. Record the total number of carbons in this reservoir in the space provided below.
3. When directed, each person draws a card. Use the chart below to figure out where each person goes next. Then each person fills in the "Next I am going to the..." column on their worksheet.
4. Return cards to the pile and shuffle.
5. WAIT UNTIL YOU ARE DIRECTED TO MOVE TO YOUR NEW RESERVOIR.

	GO TO THE ATMOSPHERE RESERVOIR	GO TO THE MARINE PLANT RESERVOIR	STAY IN THE OCEAN RESERVOIR	NUMBER OF CARBONS IN THIS RESERVOIR
Start				
1	<u>Three</u> Highest Cards	Low Card	All Others	
2	<u>Three</u> Highest Cards	Low Card	All Others	
3	<u>Three</u> Highest Cards	Low Card	All Others	
4	<u>Three</u> Highest Cards	Low Card	All Others	
5	<u>Three</u> Highest Cards	Low Card	All Others	
6	<u>Three</u> Highest Cards	Low Card	All Others	
7	<u>Three</u> Highest Cards	Low Card	All Others	
8	<u>Three</u> Highest Cards	Low Card	All Others	
9	<u>Three</u> Highest Cards	Low Card	All Others	
10	<u>Three</u> Highest Cards	Low Card	All Others	



The Hydrosphere: Marine Plant All Rounds

You are now part of a glucose molecule in seaweed.

1. When you arrive, use the *Carbon Tracking Sheet* and the poster to fill in the "I arrived here by the process of ..." and "What I am now" columns of your worksheet.
2. Record the total number of carbons in this reservoir in the space provided below.
3. When directed, each person draws a card. Use the chart below to figure out where each person goes next. Then each person fills in the "Next I am going to the..." column on their worksheet.
4. Return cards to the pile and shuffle.
5. WAIT UNTIL YOU ARE DIRECTED TO MOVE TO YOUR NEW RESERVOIR.

	GO TO THE MARINE ANIMAL RESERVOIR	STAY IN THE MARINE PLANT RESERVOIR	NUMBER OF CARBONS IN THIS RESERVOIR
Start			
1	High Card	All Others	
2	High Card	All Others	
3	High Card	All Others	
4	High Card	All Others	
5	High Card	All Others	
6	High Card	All Others	
7	High Card	All Others	
8	High Card	All Others	
9	High Card	All Others	
10	High Card	All Others	



The Hydrosphere: Marine Animal All Rounds

You are now part of a protein molecule in a sea turtle.

1. When you arrive, use the *Carbon Tracking Sheet* and the poster to fill in the "I arrived here by the process of ..." and "What I am now" columns of your worksheet.
2. Record the total number of carbons in this reservoir in the space provided below.
3. When directed, each person draws a card. Use the chart below to figure out where each person goes next. Then each person fills in the "Next I am going to the..." column on their worksheet.
4. Return cards to the pile and shuffle.
5. WAIT UNTIL YOU ARE DIRECTED TO MOVE TO YOUR NEW RESERVOIR.

	GO TO THE OCEAN RESERVOIR	STAY IN THE MARINE ANIMAL RESERVOIR	NUMBER OF CARBONS IN THIS RESERVOIR
Start			
1	High Card	All Others	
2	High Card	All Others	
3	High Card	All Others	
4	High Card	All Others	
5	High Card	All Others	
6	High Card	All Others	
7	High Card	All Others	
8	High Card	All Others	
9	High Card	All Others	
10	High Card	All Others	



CARBON CYCLE SIMULATION

The Lithosphere: Fossil Fuel Present-Day Round

You are now part of a hydrocarbon molecule in fossil fuels.

1. When you arrive, use the *Carbon Tracking Sheet* and the poster to fill in the "I arrived here by the process of ..." and "What I am now" columns of your worksheet.
2. Record the total number of carbons in this reservoir in the space provided below.
3. When directed, each person draws a card. Use the chart below to figure out where each person goes next. Then each person fills in the "Next I am going to the..." column on their worksheet.
4. Return cards to the pile and shuffle.
5. WAIT UNTIL YOU ARE DIRECTED TO MOVE TO YOUR NEW RESERVOIR.

	GO TO THE ATMOSPHERE RESERVOIR	STAY IN THE LITHOSPHERE RESERVOIR	NUMBER OF CARBONS IN THIS RESERVOIR
Start			
1	High Card	All Others	
2	High Card	All Others	
3	High Card	All Others	
4	High Card	All Others	
5	High Card	All Others	
6	High Card	All Others	
7	High Card	All Others	
8	High Card	All Others	
9	High Card	All Others	
10	High Card	All Others	



Carbon Tracking Sheet

Name: _____

Round: _____

Use the posters and playing cards to help complete the table.

TURN	I ARRIVED HERE BY THE PROCESS OF...	WHAT I AM NOW	NEXT I AM GOING TO THE...
START		I am part of a(n) _____ molecule in _____	
1		I am now part of a(n) _____ molecule in _____	
2		I am now part of a(n) _____ molecule in _____	
3		I am now part of a(n) _____ molecule in _____	
4		I am now part of a(n) _____ molecule in _____	
5		I am now part of a(n) _____ molecule in _____	
6		I am now part of a(n) _____ molecule in _____	
7		I am now part of a(n) _____ molecule in _____	
8		I am now part of a(n) _____ molecule in _____	
9		I am now part of a(n) _____ molecule in _____	
10		I am now part of a(n) _____ molecule in _____	



Land Ice/Sea Ice

Question

How does melting ice affect sea level?

Hypothesis

Record your hypothesis in an "If...then...because..." format.

Materials

- Landform materials
- Tubs
- Foil
- Ice cubes
- Water
- Beaker
- Ruler

Part One: Ice Cube Volume

1. Using the ruler, measure the volume of one ice cube in cubic centimeters. Enter the volume in the space provided below.
2. Set the ice cube inside the graduated beaker.
3. When instructed by your teacher, measure the volume of the water in the beaker once the ice cube has melted. Record the volume in cubic centimeters in the space provided below. (Remember, $1 \text{ cm}^3 = 1 \text{ mL}$)

Ice cube volume: _____

Melted ice cube volume: _____

Difference: _____

4. Write a paragraph describing the results. Describe why you think the experiment turned out the way it did.

Part Two: Land Ice / Sea Ice

1. Read the entire procedure. Develop and write a hypothesis on the outcome of the experiment in your science notebook.
2. Put half of your landform materials in each tub, creating a form for a land mass against one end of each tray.
3. Spread a sheet of aluminum foil (approximately $12'' \times 12''$) over each of the land mass forms to create a land mass. Land masses can include hills and valleys.
 - One of the land masses will need to hold five ice cubes. Be sure to design it so that it can do this, and so the water that collects as the ice melts is able to run into the tub.
4. Place five ice cubes in the bottom of one tub.
5. Pour enough water into this tub so that the ice floats. Measure the depth of the water. This is your sea ice tub.
6. Pour water into the other tub to the same depth.
7. Place the other five cubes on the land mass in the other tub. This is your land ice tub.
8. Record the initial water levels on the data table.
9. Record additional measurements as instructed by your teacher over time.



Energy Efficiency and Conservation

In using energy wisely we decrease CO₂ emissions from power plants and vehicles.

Atmosphere

Our atmosphere keeps us alive and warm. Gases in the atmosphere control amounts of ultraviolet radiation reaching the planet and determine the Earth's temperature, keeping us warm. Without gases in the atmosphere, it would be so cold, almost nothing could survive. However, as CO₂ levels in the atmosphere rise, greater differences in air temperature create more unstable weather patterns.

Transportation

Transportation is very important to us. We use it to travel and ship products. We must have transportation to get people and products to places throughout the world, but different modes of transportation need fuel to work and emit CO₂ and other emissions into our atmosphere.

Trees

Humans could not survive without trees and other plants. Trees take in CO₂ and through the process of photosynthesis produce oxygen for us to breathe, as well as providing shade, wood products, and beauty. Trees are a renewable resource.



Climate Web



Animals

Animals exhale CO₂ through natural respiration. We must have animals for food and equilibrium in ecosystems. Animals are used extensively for food and other products.

People

We need and use a lot of energy daily. Our homes, communities, and modes of transportation all use energy in various ways. We use more energy today than ever before. Much of our energy use comes from fossil fuels. Energy production from fossil fuels emits CO₂ and other emissions into the atmosphere.

Solar Energy

Solar energy is radiant energy emitted by the sun. Through the use of solar panels, we can harness this energy to power our homes and heat water. Solar energy is a renewable resource that does not produce CO₂ emissions.

Carbon Capture, Utilization, and Storage

New technology allows us to store CO₂ emissions from power plants underground to be used later. This may be an effective way to limit the amount of CO₂ we put into the atmosphere. We do not know yet how effective this strategy is at storing CO₂ in the long term.



Nuclear Plant

Uranium ore is mined then processed at nuclear power plants to produce electrical energy we need for homes and industry. Nuclear energy is a nonrenewable resource that produces no CO₂ emissions. Using nuclear power is controversial because of potential risk of radiation, if it is not contained.

Mining

Through mining, we extract ore and minerals from the Earth. We extract coal and uranium in this way to use for electricity production. Machinery used in mining emits CO₂ and other emissions. By removing vegetation, the ability of the land to remove CO₂ from the atmosphere is decreased.

Soil

Soil is the top layer of the Earth's surface, consisting of rock and mineral particles mixed with organic matter. We need healthy soil for growing food. Soil stores carbon, keeping it from the atmosphere. Developing and tilling and other activities that disturb the soil release this stored carbon into the atmosphere.

Crops

The crops we grow are essential to our survival. Growing crops also produces CO₂ emissions through the use of farm equipment, pesticides, fertilizers, and tilling the soil. Crops also remove CO₂ from the atmosphere as they grow.



Climate Web



Petroleum

Petroleum is a nonrenewable fossil fuel formed hundreds of millions of years ago. We use more petroleum than any other energy source. Some product benefits include transportation fuels, fertilizers, plastics, and medicines. Petroleum must be burned to release the energy, which emits CO₂.

Refineries

Refineries are industrial plants that refine petroleum into useable products. We refine crude oil for fuels such as gasoline, jet fuel, and fuel oils needed for transportation. Production, distribution, and consumption release CO₂.

Coal

Coal is a nonrenewable fossil fuel created from the remains of plants that lived and died millions to hundreds of millions of years ago. We extract coal from the Earth to use as fuel for electricity, industry, and heating, as well as in making iron and steel. We burn coal to release energy. Burning coal releases CO₂.

Coal Plants

Coal plants clean, process, and burn coal to generate electricity. Burning coal releases CO₂ into the atmosphere.



Climate Web



Oceans

Oceans are carbon reservoirs, which means they have the ability to absorb CO₂. This process of absorption helps keep our planet cooler. However, adding CO₂ to the ocean makes it more acidic, which impacts ocean ecosystems.

Natural Earth Events

Geological evidence tells us that the Earth's climate has changed a lot over time. Natural Earth events are factors that can contribute to climate change. Earth's position relative to the sun, volcanic eruptions, forest fires, and ocean currents are factors that can affect climate.

Economy

A growing economy demands more energy and electricity, and can increase CO₂ emissions if fossil fuels are used. Energy efficiency and conservation reduces CO₂ emissions and energy bills for families, schools, and companies.



Climate Systems

🔄 Concepts


Each of the components listed below affects the atmosphere, which in turn affects the other components of the climate system.

Some Components of the Climate System

Animals	Carbon Capture, Utilization, and Storage	Refineries
Atmosphere	Mining	Soil
Coal	Natural Earth Events	Solar Energy
Coal Plants	Nuclear Plant	Transportation
Crops	Oceans	Trees
Economy	People	
Energy Efficiency/Conservation	Petroleum	

✓ Procedure

Atmosphere has been filled in for you. Select five (5) other components from the list above and write them in the bubbles on the right. On the lines between the bubbles, write how the atmosphere affects the climate system component, and how the component affects the atmosphere, using the arrows as a guide.





Carbon Footprint

➡ Given

- The average gallon of gas contains about 5 lbs. of carbon.
- One five-pound bag of charcoal briquettes contains approximately 100 briquettes.
- $5 \text{ lbs. of carbon} / 100 \text{ briquettes} = 0.05 \text{ lbs. carbon per briquette}$

★ Sample Problems

1. If you drive or ride in a vehicle that averages 25 mpg, how many briquettes per mile would you be emitting?

2. If each briquette contains 0.05 lbs. of carbon, how many lbs. of carbon are emitted each mile?

❓ Questions

1. How many miles per gallon does your car (or your family car) average?

2. How many briquettes per mile would be emitted while traveling in your vehicle?

3. If each briquette contains 0.05 lbs. of carbon, how many lbs. of carbon are you emitting per mile?

- 4a. How many miles do you travel to school?

- 4b. Calculate how much carbon dioxide you are emitting as you travel to school.

- 5a. How many miles do you travel on the average day? Think about everywhere you go.

- 5b. Calculate how much carbon dioxide you are emitting as you travel on an average day.

** Conclusions

1. Do you think people would change their behavior if carbon dioxide was emitted in a visible way, such as charcoal briquettes, rather than as a gas? Why or why not?
2. What are challenges in decreasing carbon dioxide emitted from our vehicles?
3. What might be some options for reducing the amount of carbon dioxide emitted from the transportation sector?



Carbon In My Life Informational Text

Carbon is one of the most common elements in the world and is in nearly everything. Carbon dioxide is also often released as a byproduct in the manufacturing, transportation, and use of products, food, individual transportation, and daily energy **consumption**. Remember that our “carbon footprint” is the total amount of carbon dioxide contributed by all of the things we do and all of the things we use, at home or at school.

You can probably think of a few ways to reduce your carbon footprint, including walking instead of driving, switching to compact fluorescent light bulbs or LED bulbs, and recycling. Today people are looking closely at new ways to reduce their carbon footprint, or the carbon in their lives.

In this activity, you’ll learn how to investigate the carbon impacts of the products you use, the foods you eat, the energy and water you use, and of the different forms of transportation you use. You will select items to study and develop strategies to reduce your carbon footprint at school. Later, you can apply some of the same strategies at home.

Products

To determine the carbon impact for any product we buy or use, we have to look at the “life cycle” for that product. The product life cycle includes everything that had to happen to make that item, deliver it to you, and what happens to it when you’re done. Thinking about a product’s life cycle can tell us a lot about its carbon impact.

It is also important to think about whether a product is disposable or not. Disposable products can include everyday items like bottles, plates, and silverware. Diapers, writing utensils, contact lenses, and even items like gift cards are considered disposable. If you receive a gift card or give a gift card as a present, what do you do with it? Many people use a gift card and when the value has been used completely, they throw it away. These gift cards often come with different types of packaging around them, and we often go even further and wrap them more decoratively. Some gift cards can be reloaded with value added to them. Many disposable products can even be used twice or several times. There are also many reusable alternatives to disposable products. Whether you use disposable or reusable products, either option involves the mining, extraction, refining, manufacture, and shipping of parts and packaging, often including plastics. Each of these individual steps involves energy use and carbon impacts. Many disposable products can be made from recycled materials, which means less energy and carbon were involved in their manufacture. Try to use products made from recycled content as much as possible. When recyclable and reusable alternatives to disposable products are used, they can reduce your carbon impact by a significant amount. If you purchase a reusable cup to fill each time you stop for a beverage, you will have created far less waste and reduced your carbon footprint. Purchasing online “e”-gift cards, or reloading a used card can save on waste and impacts as well. Some businesses even reward customers for using reusable products or for environmentally-friendly purchases.

If stores can cut costs on supplies like cups, because their customers use refillable ones, it often leads to discounts for those customers.

Foods

The foods you eat also have an impact on the amount of carbon in your life. Where does most of your food come from? There are many places our food and food products can come from. Some people eat foods that they have grown and produced themselves. Many people buy all of their foods at the grocery store or local market. Does all of the food we eat get produced locally? In many cases, the items we eat are shipped in from all over the country, and sometimes the world! Not all foods can be grown year-round, or in all climates, but we eat them anyway to supplement our diets. If it is cold and wintry where you live, the produce you buy at the store is probably not produced locally, it is shipped in from other areas. Some foods like animal products, or foods with multiple ingredients, require more energy to produce and keep them healthy for those who eat them. Items that must be transported long distances or require more energy to produce will have a much greater carbon impact.

Some foods use a lot of packaging. This packaging has a carbon footprint all its own and is different for plastic wrapping, paper boxes, or foam containers. Usually, the less packaging any product has, the lower its carbon footprint. What do we do with the packaging? Is it recycled?

Like products, leftover food has a life after we’re done with it. Are we sending leftover food items down the drain, into a landfill, or are we sending them to a compost pile to be turned into rich soil for a garden?

Think about the life cycle for every plastic fork or disposable plate you might use in one year. Would it be better to use plates and utensils that are used over and over again, or would it require too much water and energy to clean and dry them? Compostable utensils and containers are now available. Would these be better for the environment than disposable utensils?

How many different ways is carbon involved in the refrigeration, preparation, handling, and transportation of food at your school or home?

GIFT CARD



Energy

We all use many forms of energy at school and at home, including our lights and computers, heating and cooling rooms, running our refrigerators and phones, and more.

There are two main ways to reduce the carbon footprint of the energy we use. The easiest way to reduce our energy use is by conservation. Conservation is simply saving by changing our behaviors—to remember to turn off lights and other electrical devices when not in use and to set thermostats to use less energy to heat and cool rooms. Look around your classroom to see how many different items are plugged in and using electricity.

Another way to use less energy is by energy efficiency or using better equipment. Switching light bulbs to compact fluorescents (CFLs) or light emitting diode (LED) bulbs and buying ENERGY STAR® appliances, as well as insulating and weather-stripping our homes are examples of energy efficiency at work.

The second way to reduce the carbon footprint of the energy we use is in using renewable resources or less carbon-rich forms of energy. Coal is a nonrenewable resource that makes most of our electricity, but has a significant carbon footprint. Electricity can come from using renewable resources—wind, solar, geothermal, and hydroelectric power. These sources create no CO₂ during energy production and are called “carbon neutral.” While nuclear energy is nonrenewable, there are no emissions associated with electricity generation, so electricity generated from nuclear power is also carbon neutral.

Some utility companies give customers the opportunity to request that most or all of their electricity comes from carbon neutral sources or purchase these credits on their bill. Some schools and homes are equipped with solar photovoltaic systems or wind turbines that generate as much electricity throughout the year as the buildings use. There are many ways to decrease your energy carbon footprint.

Water

You might not think that the water we use can add to our carbon footprint, but it does. The processes of finding, purifying, treating, and transporting water involve energy and have a carbon footprint.

When we are done with the water it goes to a sewage or water treatment plant and these steps add to water’s carbon footprint. So, using less water reduces your carbon footprint on the input side and on the output side of your use.

It takes energy to heat our water, and this process creates carbon dioxide. If the water heater settings are too high, lowering the setting can lower your carbon footprint.

The two greatest ways we can reduce the carbon footprint of the water we use are to use less and to manage the water we’re using differently. There are many ideas for using less water: take short showers instead of baths, don’t let the water run while you brush your teeth or wash dishes, and be sure that your sprinkler systems are not wasting water. Installing low-flow toilets and showerheads will save a lot of water and lower your carbon footprint.

When our wastewater leaves our house or school, it goes to a treatment plant that uses energy and where more carbon dioxide is created. Whenever you can, don’t send water down the drain; use it to water plants or trees instead.

Think of all the places water is used at your school and try to think of ways to take action to reduce your carbon footprint.

CFL LIGHT BULB



LED BULB



WIND TURBINES



WATER FAUCET



Transportation

For Americans, transportation choices make up a large part of our carbon footprint. Over long distances we can travel by car, by bus, by train, or by plane. Train travel tends to have the lowest carbon impact and air travel has the highest.

Most of us need to use some form of transportation every day. The choices for most people are to use a car, a bus, a local rapid transit, a bicycle, or to walk. Some ways to reduce our carbon footprint include driving less by combining errands into fewer trips, driving slower on the highway, and carpooling.

Four people carpooling to school or work in one car use a fraction of the energy of four people in separate cars. Whenever possible, walk, bike, or use public transportation. When we have to use a car, we should remember that some cars, like hybrids, are much more efficient than others, and maintaining proper tire pressure and keeping the car tuned-up leads to better fuel economy and reduced carbon emissions.

At school, we can encourage students to walk or bike, or find ways for students to carpool. Some schools have a “no-idling” rule when students are being picked up after school, which cuts down on the amount of fuel burned and the amount of emissions released.

What are the different ways students and teachers use transportation at your school? What are some ways you can reduce your carbon footprint in the ways you use transportation?

Comparing Carbon Footprints

■ Paper or Plastic Shopping Bags?

Which product do you think uses less energy and has a lower carbon footprint? Both have impacts in their manufacture, transportation, and disposal, but a life cycle analysis shows that neither is perfect. Paper bags are made of a renewable resource, wood, and they are recyclable. Plastic bags are made of nonrenewable petroleum, but use less energy in their manufacture and transportation. They don't decompose well in a landfill, but they are recyclable too. It actually takes more than four times the energy to make a paper bag and, because they take up more space, it takes more energy to transport them in bulk.

Recycling paper and plastic bags will help decrease your carbon footprint, but the very best choice is to use a reusable shopping bag made of canvas or recycled plastic. These are becoming widely available at stores and are, by far, more environmentally friendly than any disposable bag.

■ Foam or Paper Drinking Cups?

Foam, or Styrofoam™, has many uses including drinking cups. Foam cups are recyclable, but they are not biodegradable. If foam is not properly disposed of and ends up in the environment, it can remain there for hundreds of years. Paper cups are often recyclable and will break down in the environment more quickly than foam, but in landfills both take up space and will not readily decompose. Studies show that it actually takes more energy to produce paper cups, so the carbon footprint for these is greater than for foam cups.

A third type of cup becoming available is compostable drinking cups. These can be made of organic materials like cornstarch, and they break down harmlessly when composted with plant and vegetable

NATURAL GAS BUS



Image courtesy of United States Environmental Protection Agency

PAPER BAG



PLASTIC BAG



REUSABLE GROCERY BAG



materials. Other compostable eating utensils are available, like forks and knives, but they are more expensive to purchase.

As we found with shopping bags, an alternative to disposable cups is to use washable glass, plastic, ceramic, or metal drinking containers. When we wash them we use some energy and water, but we do not have to make them over and over and we create less of a problem with waste.

As you study the carbon footprint for any of the items in your everyday life, remember that there are misconceptions about what choices are better for the environment. New products and ideas are being created every day, and it's important to do a little research to be sure that you make the best choices.




Aluminum Can Life Cycle Comparison




Several steps are needed to create a new product. When we use recycled materials we eliminate several steps, and the reduction of processes and transportation means less energy is used during the life cycle. This also results in fewer emissions of carbon dioxide due to electricity use and transportation.

Non-Recycled Aluminum Can Life Cycle



Recycled Aluminum Can Life Cycle



ALUMINUM FACTS

- In the U.S., 100 billion aluminum beverage cans are produced annually; a little more than half of those are returned for recycling.
- The energy used to make one aluminum beverage can is about 7,000 Btu. Recycling saves 95 percent of the energy it would take to make new metal from ore.
- It takes about 60 days for aluminum beverage containers to be recycled and reappear on store shelves.

Data: Alcoa

Every product you use has a life cycle and associated carbon dioxide impacts before and after its use. With a little research you can find out where the energy use and CO₂ emissions occur.

Try to draw a life cycle chart like the one above for some other items you use at home or at school. Ask yourself where the product, or water, or energy comes from. Then think about where the product, or water, or energy goes when you are done using it.



Carbon In My Life Survey

Discuss the items below. Are these occurrences happening at your school?

Do you think that CO₂ emissions are involved (yes or no)?

Brainstorm additional items observed at your school that you think can be improved upon.

OBSERVED ITEM TO STUDY	NEVER	SOMETIMES	OFTEN	CO ₂ EMISSIONS
Cans and bottles are being used, then thrown in the trash.				
Paper and cardboard recycling occurs at school.				
Parents' cars are seen idling in morning and afternoon.				
Buses are often idling for a long time.				
Sprinklers are watering areas without grass and running too long.				
Lights in the gym are left on all day.				
Computers are left on when not being used.				
Students are encouraged to bike and walk to school.				
The cafeteria uses disposable plates, cups, and utensils.				
Classrooms are too cold on hot days, too warm in the winter.				
Schools distribute lots of paper handouts.				
Classrooms and offices are equipped with occupancy sensors.				
Vending machines are using energy, creating trash.				
Science class goes through a lot of disposable batteries.				
Students bring their lunch in disposable bags and containers.				
Waste material that could be composted is sent to a landfill.				
Other:				



Carbon In My Life Study Items

Think about all of the ways carbon cycles in and out of your life. What products do you use on a daily basis? What do you eat? What types of energy (electrical or natural gas) and water uses do you have? How do you travel?

List a few items in each column.

CONSUMABLE PRODUCTS I USE	FOODS I EAT	ENERGY AND WATER I USE	TRANSPORTATION I USE	OTHER

Your team should discuss each of these items and try to identify opportunities to implement changes in their use that might lower the carbon footprint.

Critical Questions

1. Does this item apply at school, at home, or at both?
2. Does taking action require individual action or group cooperation?
3. What obstacles might be encountered in taking action to lower the carbon footprint of this item?
4. Select four or five items, one from each category above, to study using the *Item Analysis Organizer* on page 69.
5. Develop an action plan for one or more items studied using the *Questionnaire*, page 70, and *Action Planner*, page 71.



Carbon In My Life Item Analysis Organizer

Answer the questions in this organizer to find opportunities to reduce your carbon footprint.

Item: _____

What purpose does this item serve? _____

Can you do without this item?

YES

Item is not essential: Explain how not using it will save energy or lower your energy carbon footprint.

NO

If item is essential, is there a better, less carbon intensive way to meet the same need?

YES

Describe an alternative way to meet this need and how it will lower your carbon footprint.

NO

Is there a better source for this item, a renewable, more local, or more efficient source?

YES

Describe the alternative source and how it will lower your carbon footprint.

NO

Can you use less of this item?

YES

Explain your plan to use less of this item and how it will lower your carbon footprint.

NO

Is this item being wasted or disposed of carelessly?

YES

Describe your suggestion for proper disposal and how it will lower your carbon footprint.

NO

If you answered "NO" to every question, select a different item to study until you can answer "YES" to one of the questions. Once you've identified items that offer an opportunity to conserve energy or reduce your carbon footprint, complete pages 70 and 71 to develop an Action Plan.



Carbon In My Life Questionnaire

You can lower your carbon footprint if you learn to ask these questions of every thing you use:

- Is it essential, do I have to use it or can I live without it?
- What purpose does it serve, what need does it fill? Can I fill that need in a different way?
- If I have to use it, can I use less of it or use it more wisely?
- Where does it come from, and is there a better or more local source for it?
- When I'm done with this item, where does it go, is it recycled or reused?

Choose one item from each category on page 68. Use this questionnaire to analyze your use of the product and think about what steps you might take in order to lessen your own carbon footprint. Compose detailed answers on a separate piece of paper.

Item description: _____

Need met: _____

Item's current energy use impact: _____

Item's current CO₂ impact: _____

Complete as many of the questions below as apply to the item being studied:

This item comes from (what materials, where): _____

An alternate source is: _____

The energy needed would be lower because: _____

The CO₂ impact would be lower because: _____

Other ways I could meet the same need include: _____

The energy needed would be lower because: _____

The CO₂ impact would be lower because: _____

Ways to use less of this item include: _____

The energy needed would be lower because: _____

The CO₂ impact would be lower because: _____

Where this item goes after it's used is: _____

An alternative for this item after it is used: _____

Energy is saved because: _____

The CO₂ impact might be lower because: _____

Actions I can take include: _____

Actions others can take include: _____

If you are unable to find ways to lower energy use or the CO₂ impact, select another item to analyze. When you've found ways to lower energy use or CO₂ impact, complete the Action Planner on the next page.



Carbon In My Life Action Planner

Select one of the items analyzed that offers an opportunity for you to reduce your personal carbon footprint or the carbon footprint of your school.

Use this planner to plan and execute your carbon reduction strategy.

Compose detailed answers on a separate piece of paper.

Item Description: _____

Problem Description: _____

How is energy related to this item?

How is CO₂ related to this item?

How are behaviors and choices related to this item?

The action you plan to take:

What you need to learn before you can take action?

Who might need to give permission for you to take this action?

Who can help you make this action successful?

List any difficulties you might encounter:

What will determine "success" for your action and when will success be met?

Explain how this action might save money, cost money, or have no financial impact.

Does action on this item give you ideas for other items to study? List these below.

Describe how you could encourage others to take similar actions.

Develop a timeline for each step you plan to take.

Take notes and document your progress in your science notebook.



Glossary

adapt	to make changes or modifications
aerosols	the suspension of tiny particles or droplets in a gas; smog and volcanic ash are examples
albedo	the ability of any surface to reflect light
atmosphere	the gases surrounding the Earth
biomass	living organic matter that can be converted to fuel as an energy source
biosphere	the parts of Earth that support life—water, atmosphere, land
carbohydrates	organic compounds produced through photosynthesis that contain sugar, starch, and cellulose that are consumed by animals for energy
carbon	a basic building block of matter that exists naturally; C on the periodic table of elements
carbon cycle	the organic circulation of carbon atoms in the biosphere exchanged between organisms and the environment
carbon dioxide	an odorless, colorless, noncombustible gas produced from respiration, organic decomposition, and combustion; CO ₂
carbon neutral	no carbon dioxide gas production going into the atmosphere
carbon reservoir	area between major carbon sinks including the biosphere, lithosphere, hydrosphere, and atmosphere
carbon sinks	a reservoir that accumulates and stores carbon
climate	meteorological conditions in the atmosphere of a certain region over a relatively long period of time including temperature, winds, and precipitation
climatologist	a scientist that works in the field of climatology dealing with climate and climate conditions
climatology	a field of science that deals with climate or climate conditions
combustion	a burning process where a substance reacts with oxygen to emit heat and light
concentration	the amount of a specific substance within another substance
conservation	saving or preserving to prevent depletion, loss, or extinction
consumption	to use or destroy
cycle	a repeating pattern
degassing	losing or giving off gas
dissolution	the process of being dissolved; becoming incorporated into a gas or liquid
drought	a long period of dry weather with abnormally low precipitation
eccentricity	the amount an orbit deviates from a perfect circle or its shape
electricity	the presence and flow of electric charge, moving electrons
emissions	substances released or emitted into the atmosphere
energy	the ability to produce change or do work
energy efficiency	using less energy to produce the same (equivalent) amount of something
energy transformation	any process of energy conversion from one form to another form of energy
erosion	the wearing down of the surface of the Earth by movement from water, wind, waves, or glaciers
fission	splitting into parts; splitting or fragmenting the nucleus of atoms to release energy
fossil fuels	the remains of plants and animals that died hundreds of millions of years ago
fusion	the joining of nuclei of atoms to form heavier, more stable nuclei
gas	a state of matter in which the molecules are in random order and motion that takes on the shape of the available space; air is a mixture of gases

geologists	scientists who study the science that deals with the dynamics and physical history of Earth structures such as rocks, and the processes that cause change in the Earth
gigatons	a unit of measure equal to one billion tons
global warming	the increase of Earth's average atmospheric temperature
greenhouse effect	the result of water vapor, carbon dioxide, and other atmospheric gases trapping radiant (infrared) energy, thereby keeping the Earth's surface warmer than it would otherwise be; greenhouse gases within the lower levels of the atmosphere trap this radiation, which would otherwise escape into space, and subsequent re-radiation of some of this energy back to the Earth maintains higher surface temperatures than would occur if the gases were absent
greenhouse gases	(GHGs) naturally occurring gases in the atmosphere that blanket the Earth keeping it warm
hydrocarbon	an organic compound consisting of hydrogen and carbon
hydrosphere	all water on or around the Earth including surface, ground, ice, and water vapor
ice core	a drilled sample from an ice sheet
impact	an impression or force one thing has on another
infrared radiation	electromagnetic waves produced from very hot objects, which are longer than visible light and shorter than radio waves and we can feel them produced from an incandescent bulb
inorganic	compounds not containing carbon
intergovernmental	work that combines two or more levels of governments
lithosphere	the solid portion of the crust and upper mantle of the Earth
meteorologists	scientists who study the science dealing with the atmosphere and its phenomena, including weather and climate
methane	colorless, odorless, flammable gas used as fuel that is naturally released during decomposition of organic materials; consists of one carbon and four hydrogens—the major component of natural gas; it is a greenhouse gas; CH ₄
Milankovitch Cycles	changes in the Earth's movements that affect climate
mitigate	to lessen or make milder
nitrous oxide	also known as laughing gas, N ₂ O is a sweet-smelling and tasting, nonflammable, colorless gas
nonrenewable	energy or natural resources that cannot be replaced once they have been used up
obliquity	the axial tilt of an object; difference between orbital and equatorial planes
photosynthesis	process utilizing light as the energy source, in which green plants produce carbohydrates from carbon dioxide and water and release oxygen as a byproduct
precession	the rotational motion of an axis (such as a wobbling top), caused by gravitational forces
precipitation	rain, snow, sleet, or hail that are products of condensation in the atmosphere that fall to Earth
radiation	the emitting of particles or waves giving off energy; energy from the sun in rays or waves
renewable	energy or natural resources that are never used up or can be replaced
reservoir	a natural storage; an extra supply
respiration	inhaling and exhaling air; breathing
secondary energy source	requires the use of another energy source for production
smog	atmospheric emissions in fog
sustainability	support; keep in existence or maintain
thermal expansion	the tendency of matter to change in volume due to a change in temperature
volcanism	relating to volcanic activity or volcanic force
weather	describes the meteorological conditions in the atmosphere over a short period of time
weathering	chemical and mechanical processes that decompose or break down rock

AWESOME EXTRAS!

Our Awesome Extras page contains PowerPoints, animations, and other great resources to compliment what you are teaching!

www.NEED.org/awesomeextras.

SOLAR AT A GLANCE




WHAT IS SOLAR?

Solar energy is radiant energy that is produced by the sun. Every day the sun radiates, or sends out, an enormous amount of energy. The sun radiates more energy in one second than people have used since the beginning of time!

PHOTOVOLTAIC CELLS

Photovoltaic comes from the words photo meaning "light" and volt, a measurement of electricity. Sometimes photovoltaic cells are called PV cells or solar cells for short. These are the four steps that show how a PV cell is made and how it produces electricity.



TOP SOLAR STATES



NUCLEAR FUSION

The process of fusion commonly involves hydrogen isotopes combining to form a helium atom with a transformation of matter. This matter is emitted as radiant energy.



Home > Educators > Awesome Extras

Energy Sources Materials

All NEED curriculum is available for free download.



Newsletters

- Intermediate Activity: *Crunch the Numbers-Energy in the U.S.* November/December 2002
- Primary Activity: *Dichotomous Key of the Energy Sources* January/February 2003
- Intermediate Activity: *Energy Source Webquest* January/February 2003
- Primary/Elementary Activity: *Active Energy Sources* September/October 2004
- Primary Activity: *Energy Source Puzzles* April/May 2005
- Energy Source Sudoku May 2006
- Primary/Elementary Activity: *Energy Picture* September 2006
- Energy Analysts: Linda Doman, International Energy Analyst, U.S. Department of Energy, January 2009
- Q&A: Ann Randazzo, Executive Director of the Center for Energy Information, Intermediate and Secondary Activity

Energy At A Glance

Solar (small) (large)



Exploring Wind Energy



NEED's Online Resources

NEED'S SMUGMUG GALLERY

<http://need-media.smugmug.com/>

On NEED's SmugMug page, you'll find pictures of NEED students learning and teaching about energy. Would you like to submit images or videos to NEED's gallery? E-mail info@NEED.org for more information.

Also use SmugMug to find these visual resources:

Videos

Need a refresher on how to use Science of Energy with your students? Watch the Science of Energy videos. Also check out our Energy Chants videos! Find videos produced by NEED students teaching their peers and community members about energy.

Online Graphics Library

Would you like to use NEED's graphics in your own classroom presentations, or allow students to use them in their presentations? Download graphics for easy use in your classroom.

AWESOME EXTRAS

Looking for more resources? Our Awesome Extras page contains PowerPoints, animations, and other great resources to compliment what you are teaching in your classroom! This page is available under the Educators tab at www.NEED.org.

THE BLOG

We feature new curriculum, teacher news, upcoming programs, and exciting resources regularly. To read the latest from the NEED network, visit www.NEED.org/blog_home.asp.

EVALUATIONS AND ASSESSMENT

Building an assessment? Searching for standards? Check out our Evaluations page for a question bank, NEED's Energy Polls, sample rubrics, links to standards alignment, and more at www.NEED.org/evaluation.

E-PUBLICATIONS

The NEED Project offers e-publication versions of various guides for in-classroom use. Guides that are currently available as an e-publication can be found at www.issuu.com/theneedproject.

SOCIAL MEDIA



Stay up-to-date with NEED. "Like" us on Facebook! Search for The NEED Project, and check out all we've got going on!



Follow us on Twitter. We share the latest energy news from around the country, @NEED_Project.



Follow us on Instagram and check out the photos taken at NEED events, [instagram.com/theneedproject](https://www.instagram.com/theneedproject).



Follow us on Pinterest and pin ideas to use in your classroom, [Pinterest.com/NeedProject](https://www.pinterest.com/NeedProject).



Subscribe to our YouTube channel!
www.youtube.com/user/NEEDproject

NEED ENERGY BOOKLIST

Looking for cross-curricular connections, or extra background reading for your students? NEED's booklist provides an extensive list of fiction and nonfiction titles for all grade levels to support energy units in the science, social studies, or language arts setting. Check it out at www.NEED.org/booklist.asp.

U.S. ENERGY GEOGRAPHY

Maps are a great way for students to visualize the energy picture in the United States. This set of maps will support your energy discussion and multi-disciplinary energy activities. Go to www.need.org/energyinsocietymaterials to see energy production, consumption, and reserves all over the country!





YOUTH ENERGY CONFERENCE AND AWARDS

The NEED Youth Energy Conference and Awards gives students more opportunities to learn about energy and to explore energy in STEM (science, technology, engineering, and math). The annual June conference has students from across the country working in groups on an Energy Challenge designed to stretch their minds and energy knowledge. A limited number of spaces are available for Full STEM Ahead, a special two-day pre-conference event, which allows students access to additional information, time to discuss energy with their peers, and access to industry professionals. The conference culminates with the Youth Awards Ceremony recognizing student work throughout the year and during the conference.

For More Info: www.youthenergyconference.org

YOUTH AWARDS PROGRAM FOR ENERGY ACHIEVEMENT

All NEED schools have outstanding classroom-based programs in which students learn about energy. Does your school have student leaders who extend these activities into their communities? To recognize outstanding achievement and reward student leadership, The NEED Project conducts the National Youth Awards Program for Energy Achievement.


Share Your Energy Outreach with The NEED Network!

This program combines academic competition with recognition to acknowledge everyone involved in NEED during the year—and to recognize those who achieve excellence in energy education in their schools and communities.

What's involved?

Students and teachers set goals and objectives and keep a record of their activities. Students create a digital project to submit for judging. In April, digital projects are uploaded to the online submission site.

Want more info? Check out www.NEED.org/Youth-Awards for more application and program information, previous winners, and photos of past events.





Understanding Climate Change Evaluation Form

State: _____ Grade Level: _____ Number of Students: _____

- 1. Did you conduct the entire unit? Yes No

- 2. Were the instructions clear and easy to follow? Yes No

- 3. Did the activities meet your academic objectives? Yes No

- 4. Were the activities age appropriate? Yes No

- 5. Were the allotted times sufficient to conduct the activities? Yes No

- 6. Were the activities easy to use? Yes No

- 7. Was the preparation required acceptable for the activities? Yes No

- 8. Were the students interested and motivated? Yes No

- 9. Was the energy knowledge content age appropriate? Yes No

- 10. Would you teach this unit again? Yes No

Please explain any 'no' statement below.

How would you rate the unit overall? excellent good fair poor

How would your students rate the unit overall? excellent good fair poor

What would make the unit more useful to you?

Other Comments:

Please fax or mail to: The NEED Project
8408 Kao Circle
Manassas, VA 20110
FAX: 1-800-847-1820



National Sponsors and Partners

Air Equipment Company
Alaska Electric Light & Power Company
Albuquerque Public Schools
American Electric Power
American Fuel & Petrochemical Manufacturers
Arizona Public Service
Armstrong Energy Corporation
Barnstable County, Massachusetts
Robert L. Bayless, Producer, LLC
BG Group/Shell
BP America Inc.
Blue Grass Energy
Cape Light Compact–Massachusetts
Central Falls School District
Chugach Electric Association, Inc.
CITGO
Clean Energy Collective
Colonial Pipeline
Columbia Gas of Massachusetts
ComEd
ConEdison Solutions
ConocoPhillips
Constellation
Cuesta College
David Petroleum Corporation
Desk and Derrick of Roswell, NM
Direct Energy
Dominion Energy
Donors Choose
Duke Energy
East Kentucky Power
Energy Market Authority – Singapore
Escambia County Public School Foundation
Eversource
Exelon Foundation
Foundation for Environmental Education
FPL
The Franklin Institute
George Mason University – Environmental Science and Policy
Gerald Harrington, Geologist
Government of Thailand–Energy Ministry
Green Power EMC
Guilford County Schools – North Carolina
Gulf Power
Hawaii Energy
Idaho National Laboratory
Illinois Clean Energy Community Foundation
Illinois Institute of Technology
Independent Petroleum Association of New Mexico
James Madison University
Kentucky Department of Energy Development and Independence
Kentucky Power – An AEP Company
Kentucky Utilities Company
League of United Latin American Citizens – National Educational Service Centers
Leidos
Linn County Rural Electric Cooperative
Llano Land and Exploration
Louisville Gas and Electric Company
Mississippi Development Authority–Energy Division
Mississippi Gulf Coast Community Foundation
Mojave Environmental Education Consortium
Mojave Unified School District
Montana Energy Education Council
The Mountain Institute
National Fuel
National Grid
National Hydropower Association
National Ocean Industries Association
National Renewable Energy Laboratory
NC Green Power
New Mexico Oil Corporation
New Mexico Landman’s Association
NextEra Energy Resources
NEXTracker
Nicor Gas
Nisource Charitable Foundation
Noble Energy
Nolin Rural Electric Cooperative
Northern Rivers Family Services
North Carolina Department of Environmental Quality
North Shore Gas
Offshore Technology Conference
Ohio Energy Project
Opterra Energy
Pacific Gas and Electric Company
PECO
Pecos Valley Energy Committee
Peoples Gas
Pepco
Performance Services, Inc.
Petroleum Equipment and Services Association
Phillips 66
PNM
PowerSouth Energy Cooperative
Providence Public Schools
Quarto Publishing Group
Read & Stevens, Inc.
Renewable Energy Alaska Project
Rhode Island Office of Energy Resources
Robert Armstrong
Roswell Geological Society
Salt River Project
Salt River Rural Electric Cooperative
Saudi Aramco
Schlumberger
C.T. Seaver Trust
Secure Futures, LLC
Shell
Shell Chemicals
Sigora Solar
Singapore Ministry of Education
Society of Petroleum Engineers
Society of Petroleum Engineers – Middle East, North Africa and South Asia
Solar City
David Sorenson
South Orange County Community College District
Tennessee Department of Economic and Community Development–Energy Division
Tesla
Tesoro Foundation
Tri-State Generation and Transmission
TXU Energy
United Way of Greater Philadelphia and Southern New Jersey
University of Kentucky
University of Maine
University of North Carolina
University of Tennessee
U.S. Department of Energy
U.S. Department of Energy–Office of Energy Efficiency and Renewable Energy
U.S. Department of Energy–Wind for Schools
U.S. Energy Information Administration
United States Virgin Islands Energy Office
Wayne County Sustainable Energy
Western Massachusetts Electric Company
Yates Petroleum Corporation